



# Fluid Handling Innovation

# LISTINO PREZZI - PRICE LIST - 10.12



EXPLOSION PROOF



FUEL TRANSFER



GARAGE EQUIPMENT



UREA SOLUTIONS



| Indice | Index

Settore	Descrizione	Sector	Description	Pag
Distributori	Cube	Dispensers	Cube	2
Diotributori	Self Service	Dioponocio	Self Service	3
	Accessori per Cube e Self Service		Accessories for Cube and Self Service	2
	Carry 3000 - Battery Kit - PiusiBox - Pico		Carry 3000 - Battery Kit - PiusiBox - Pico	4
	ST stazioni elettriche		ST units	5
	Cassetta metallica		Metal box	5
	ST Box		ST Box	5
	Drum - Unità di travaso gasolio per fusti		Drum - Diesel transfer units for drums	6
	Linea ATEX explosion proof		ATEX explosion proof range	6
	PIT Stop		PIT Stop	7
	ST 200		ST 200	7
Pompe	Elettropompe	Pumps	Electropumps	8
·	Viscomat	· ·	Viscomat	9
	Pompe a mano		Hand pumps	9
	· ompo a mano		Talls partiple	
Contalitri	Contalitri meccanici	Meters	Mechanical meters	9
	Contalitri elettronici		Electronic meters	10
	Pistole contalitri		Nozzle meters	10
	Contalitri Pulsers		Pulse-Meters	11
	Display remoto con emettitore di impulsi		Remote display with pulse transmitter	11
B'atala	Pistola Marcosti	No. 10	Marcalana	
Pistole	Pistole Manuali	Nozzles	Manual nozzles	11
	Pistole Automatiche con swivel		Automatic Nozzles with swivel	11
	Pistole		Nozzles	12
Attrezzature	Cambiaolio	Special	Cambiaolio	12
speciali	Vacubox	equipments	Vacubox	13
	Depuroil - Filtroll diesel/oil		Depuroil - Filtroll diesel/oil	13
Sistemi di	Access 85	Fluid	Access 85	13
controllo	Ocio	monitoring	Ocio	14
fluidi	Odlo	systems	OGIO	14
Accessori	Arrotolatori	Accessories	Hose reels	14
	Tubi		Hoses	15
	Connettori		Connectors	15
	Filtri		Filters	16
	Collegamenti		Fittings	17
	Connessioni Flangiate		Flanged connections	18
	Dumbox		Dumbox	18
Soluzioni	Erogatori	UREA	Dispensers	19
per UREA	Pompe	solution	Pumps	19
	Contalitri, Contalitri-pulser		Meters, Pulse-meters	20
	Pistole		Nozzles	20
	Sistemi di controllo		Control systems	20
	Arrotolatori e Tubi		Hose reels and Hoses	21
	Accessori		Accessories	21
Condizioni	Condizioni generali di vendita	Conditions	General sales conditions	22
OUTIGIZIOTTI	_			
generali	Garanzia		Warranty	23



	Cod.	Modello	Model	Volt/Hz	Euro
e distributori -	Cube dispens	ers			
		con contalitri meccanico	with mechanical meter		
AND MICHAEL BOOK	00057500	C Cube 56/33	Cube 56/33	230/50	510,85
	F0057600	C Cube 56/33 DC 12V	Cube 56/33 DC 12V	12	511,24
0					
No.	F0059100	A Cube 70/33	Cube 70/33	230/50	618,20
	F0057700	C   Cube 70/33 DC 24V	Cube 70/33 DC 24V	24	547,19
T. T.					
_		con contalitri multi-utente	with multi-user meter		
	F0059400	C Cube 70 MC 50 utenti	Cube 70 MC 50 users	230/50	1.415,74
	1.0000.00	- Case i cilic de ateriti	Odbo 10 100 00 d3013	230/30	
	F0059415		Cube 70 MC 120 users	230/50	
		B Cube 70 MC 120 utenti			1.855,00
	F0059415	B Cube 70 MC 120 utenti Cube 70 MC DC 12V	Cube 70 MC 120 users	230/50	1.855,00
	F0059413	B Cube 70 MC 120 utenti  B Cube 70 MC DC 12V  Cube 70 MC DC 24V	Cube 70 MC 120 users  Cube 70 MC DC 12V  Cube 70 MC DC 24V	230/50	1.855,00
	F0059413	B Cube 70 MC 120 utenti Cube 70 MC DC 12V	Cube 70 MC 120 users  Cube 70 MC DC 12V	230/50	1.855,00 1.431,00 1.485,06

- Art. 00057500C-F0057600C-F0059100A-F0057700C Struttura autoportante in lamiera, elettropompa volumetrica autoadescante con interruttore on/off, Contalitri K33, mt.4 Tubo Erogazione, Pistola Automatica A60, raccordi-morsetti.
- Art. F0059400C Art. F0059415B: Struttura autoportante in lamiera, elettropompa Panther 72, mt. 4 tubo erogazione, pistola automatica, sistema di gestione dei fluidi "MC" (50 utenti-120 utenti), quadro elettrico di comando.
- Art. F0059413B F0059414B: Struttura autoportante in lamiera, elettropompa Panther DC, mt. 4 tubo erogazione, pistola automatica, sistema di gestione dei fluidi "MC" (50 utenti) DC.
- Art. F0059500A: Struttura autoportante in lamiera, elettropompa Panther 72, mt. 4 tubo erogazione, pistola automatica, sistema di preselezione della quantità erogata e contatore K600 con emettitore di impulsi.

### **Equipments**

- Årt. 00057500C-F0057600C-F0059100A-F0057700C Steel cabinet, volumetric self-priming electric pump, K33 meter, mt. 4 delivery hose, ON/OFF switch, automatic nozzle A60.
- Art. F0059400C Art. F0059415B: Steel cabinet, Panther 72, suction filter, mt. 4 hose, automatic nozzle, fuel monitoring system "MC" (50 users - 120 users), power box.
- Art. F0059413B F0059414B: Steel cabinet, Panther DC, suction filter, mt. 4 delivery hose, automatic nozzle, fuel monitoring system "MC" (50 users) DC.
- Art. F0059500A

Steel cabinet, Panther 72, suction filter, mt. 4 hose, automatic nozzle, system of pre-selecting the quantity to be dispensed and K600 pulse meter with pulse transmitter.

Accessori - Accesso	ries			
		per Cube:	for Cube:	
	F1270800B	Kit piedistallo colore NERO	Pedestal color BLACK	200,00
	F1093640B	Kit piedistallo colore ROSSO	Pedestal color RED	200,00
	F1093600B	Kit piedistallo colore BLU	Pedestal color BLUE	200,00
-				Ì
	R12737000	Kit staffe a muro	Kit wall support	33,71
43.0	R12738000	Kit lucchetto Cube MC (lucchetto escluso)	Kit lock Cube MC (Key lock not included)	12,36
100				

Th.		per Cube MC e Self Service MC/FM:	for Cube MC and Self Service MC/FM:	
	F1271000C	Convertitore USB + Software *	USB Converter + Software *	470,23
	F13292000	PW14 - Convertitore USB	PW14 - USB Converter	202,25
0 -	F14144040	Kit Software * + Chiavi + Adattatore USB	Kit Software * + Keys + USB Adaptor	471,91
	R15904000	Kit N° 10 Chiavi Utente colore Giallo	Kit N° 10 user Keys color Yellow	117,98
A STATE OF THE STA	R12496000	Chiave Gestore colore Rosso	Manager Key color Red	53,10

# Dotazioni:

• Art. F1271000C: USB convertitore, adattatore, software. Art. F14144040: 1 chiave manager, 10 chiavi utenti colore giallo, 1 lettore chiave con adattatore USB + software.

# Equipments:

• Art. F1271000C: USB converter, adaptor, software. Art. F14144040: 1 manager key, 10 user keys yellow color, 1 key reader with USB adaptor, software.

<sup>\*</sup> Programma ceduto in licenza d'uso regolamentata dal relativo contratto e delle norme sulla repressione della pirateria informatica (vedi condizioni generali di vendita, sezione licenza d'uso).

<sup>\*</sup> Program given out exclusively by means of the user licence to be used in accordance with the relevant agreement and informatic anti-piracy regulations (see general sales conditions section software license).



	Cod.	Modello	Model	Volt/Hz	Euro
Self Service distri	butori - <i>Self Service</i>	dispensers			
		con contalitri meccanico	with mechanical meter		
	F0073701B	Self Service 70 K44 F	Self Service 70 K44 F	230/50	1.333,15
	F00737B0B	Self Service TANK 70 K44	Self Service TANK 70 K44	230/50	1.150,57
	F00737B2B	Self Service TANK 70 K44 PULSER	Self Service TANK 70 K44 PULSER	230/50	1.327,53
	F0074004B	Call Carriag 100 KAA F	Calif Carriage 100 KAA F	000/50	4 000 00
17.33	F0074001B	Self Service 100 K44 F PUIL CEP	Self Service 100 K44 F	230/50	1.692,99
TANK version	F0074002A	Self Service 100 K44 F PULSER	Self Service 100 K44 F PULSER	230/50	1.698,88
	F00740B0B	Self Service TANK 100 K44	Self Service TANK 100 K44	230/50	1.410,12
		con contalitri e gestione multi-utente	with meter and multi-user manager	ment system	1
	F0073801B	Self Service 70 MC F	Self Service 70 MC F	230/50	1.839,33
	F00738060	Self Service 70 MC F 7mt PRINTER	Self Service 70 MC F 7mt PRINTER	230/50	2.376,41
	F00738B0B	Self Service TANK 70 MC	Self Service TANK 70 MC	230/50	1.666,30
	F0073900B	Self Service 70 FM	Self Service 70 FM	230/50	3.146,08
MC FM	F00739B0B	Self Service TANK 70 FM	Self Service TANK 70 FM	230/50	2.973,05
	F0074101B	Self Service 100 MC F	Self Service 100 MC F	230/50	2.205,63
TANK .	F00741B0B	Self Service TANK 100 MC	Self Service TANK 100 MC	230/50	1.995,51
version	F0074200B	Self Service 100 FM	Self Service 100 FM	230/50	3.512,37
	F00742B0B	Self Service TANK 100 FM	Self Service TANK 100 FM	230/50	3.302,26
		·	·		

# • Art. F0073701B-F0074001B

Colonnina in metallo h.= 1387 mm, elettropompa Panther 72/E120, filtro aspirazione, mt. 4 tubo erogazione, pistola automatica, contalitri K44, quadro elettrico di comando, filtro separatore d'acqua

• Art. F00737B0B-F00740B0B

Colonnina in metallo h.= 990 mm, elettropompa Panther 72/E120, filtro aspirazione, mt.4 tubo erogazione, pistola automatica, contalitri K44, quadro elettrico di comando.

• Art. F00737B2B

Colonnina in metallo h.= 990 mm, elettropompa Panther 72, filtro aspirazione, mt. 4 tubo erogazione, pistola automatica, contalitri pulser K44 con emettitore di impulsi, quadro elettrico di comando.

- Art. F0073801B F0074101B: Colonnina in metallo h.=1387 mm, elettropompa Panther 72/E120, filtro aspirazione, mt. 4 tubo erogazione, pistola automatica, sistema di gestione dei fluidi "MC" (80 utenti), quadro elettrico di comando, filtro separatore d'acqua, lettore chiave.
- Art. F00738060: Colonnina in metallo h.=1387 mm, elettropompa
   Panther 72, filtro aspirazione, mt. 7 tubo erogazione, pistola automatica, sistema di gestione dei fluidi "MC" (80 utenti), quadro elettrico di comando, filtro separatore d'acqua, stampante locale, lettore chiave.
- Art. F0073900B F0074200B: Colonnina in metallo h.=1387 mm, elettropompa Panther72/E120, filtro aspirazione, mt. 4 tubo erogazione, pistola automatica, sistema di gestione dei fluidi "FM" (120 utenti), quadro elettrico di comando, filtro separatore d'acqua, stampante locale, OCIO sistema di monitoraggio livello, lettore chiave.
- Art. F00738B0B-F00741B0B: Colonnina in metallo h.=990 mm, elettropompa Panther72/E120, filtro aspirazione, mt. 4 tubo erogazione, pistola automatica, sistema di gestione dei fluidi "MC" (80 utenti), quadro elettrico di comando, lettore chiave.
- Art. F00739B0B-F00742B0B: Colonnina in metallo h.=990 mm, elettropompa Panther72/E120, filtro aspirazione, mt. 4 tubo erogazione, pistola automatica, sistema di gestione dei fluidi "FM" (120 utenti), quadro elettrico di comando, stampante locale, OCIO sistema di monitoraggio livello. lettore chiave.

### **Equipments:**

• Art. F0073701B-F0074001B

Steel cabinet h.=1387 mm., Panther 72/E120 Pump, suction filter, mt. 4 hose, Automatic nozzle, K44 meter, power box, water separation filter.

• Art. F00737B0B-F00740B0B

Steel cabinet h.=990 mm., Panther 72/E120 Pump, suction filter, mt. 4 hose, Automatic nozzle, K44 meter, power box.

• Art. F00737B2B

Steel cabinet h.=990 mm., Panther 72, suction filter, mt. 4 hose, Automatic nozzle, K44 pulse meter, power box.

- Art. F0073801B F0074101B: Steel cabinet h.=1387 mm., Panther 72/E120 pump, suction filter, mt. 4 hose, automatic nozzle, fuel monitoring system "MC" (80 users), power box, water separator filter, i-button data system.
- Art. F00738060: Steel cabinet h.=1387 mm., Panther 72/E120 pump, suction filter, mt. 7 hose, automatic nozzle, fuel monitoring system "MC" (80 users), power box, water separator filter, ticket printer, i-button data system
- Art. F0073900B F0074200B: Steel cabinet h.=1387 mm., Panther 72/E120 pump, suction filter, mt. 4 hose, automatic nozzle, fuel monitoring system "FM" (120 users), power box, water separator filter, ticket printer OCIO level control, i-button data system.
- Art. F00738B0B-F00741B0B: Steel cabinet h.=990 mm., Panther 72/ E120 pump, suction filter, mt. 4 hose, automatic nozzle, fuel monitoring system "MC" (80 users), power box, i-button data system.
- Art. F00739B0B-F00742B0B: Steel cabinet h.=990 mm., Panther 72/E120 pump, suction filter, mt. 4 hose, automatic nozzle, fuel monitoring system "FM" (120 users), power box, ticket printer, OCIO level control, i-button data system.



		Cod.	Modello	Model	Volt/Hz	Euro
Gruppi portatili pe	r travas	so gasolio - F	Portable groups for diesel transfer			
d-I	New	F0022300C	Carry 3000 12V	Carry 3000 12V	12	146,00
	New	F0022400C	Carry 3000 24V	Carry 3000 24V	24	146,00
		F0034004B	Carry Panther DC 12V	Carry Panther DC 12V	12	207,87
2.		F0034104C	Carry Panther DC 24/12V	Carry Panther DC 24/12V	24/12	261,80
	New	F0022500C	Battery Kit 3000/12V	Battery Kit 3000/12V	12	186,50
THE	New	F0022600C	Battery Kit 3000/24V	Battery Kit 3000/24V	24	186,50
Section 1		F0034003B	Battery Kit Panther DC 12V	Battery Kit Panther DC 12V	12	248,32
an remarks		F0034103C	Battery Kit Panther DC 24/12V	Battery Kit Panther DC 24/12V	24/12	302,25
1 200		F00309060	Battery Kit Viscomat 60/2 12V	Battery Kit Viscomat 60/2 12V	12	307,40
		F00310070	Battery Kit Viscomat 60/2 24V	Battery Kit Viscomat 60/2 24V	24	307,40
	New	F0023100A	Piusi Box 12V Basic	Piusi Box 12V Basic	12	260,00
B X	New	F0023101A	Piusi Box 12V Pro	Piusi Box 12V Pro	12	310,00
PUBLICA	New	F0023200A	Piusi Box 24V Basic	Piusi Box 24V Basic	24	260,00
	New	F0023201A	Piusi Box 24V Pro	Piusi Box 24V Pro	24	310,00
	New	R17256000	Kit montaggio per K24 Piusi Box	Assembly kit for K24 PiusiBox	-	18,80
100 m			PICO senza contalitri	PICO without meter		
Suda		F00202000	Pico 230V Pistola manuale 4m tubo	Pico 230V Manual nozzle 4m hose	230/50	182,00
		F00202010	Pico 230V Pistola automatica 4m tubo	Pico 230V Automatic nozzle 4m hose	230/50	232,00
		F00202040	Pico 12V Pistola manuale 4m tubo	Pico 12V Manual nozzle 4m hose	12	201,00
		F00202050	Pico 12V Pistola automatica 4m tubo	Pico 12V Automatic nozzle 4m hose	12	251,00
			Disponibili versioni 24V	Versions 24V available		
Theo.	1		PICO con contalitri	PICO with K24 meter		
Side		F00202020	Pico 230V K24 Pistola manuale 4m tubo	Pico 230V Man. nozzle 4m hose + K24	230/50	317,00
		F00202030	Pico 230V K24 Pistola aut. 4m tubo	Pico 230V Aut. nozzle 4m hose + K24	230/50	367,00
5 /		F00202060	Pico 12V K24 Pistola manuale 4m tubo	Pico 12V Man. nozzle 4m hose + K24	12	336,00
-		F00202070	Pico 12V K24 Pistola aut. 4m tubo	Pico 12V Aut. nozzle 4m hose + K24	12	386,00
			Disponibili versioni 24V	Versions 24V available		
	Dotazio	ni:		Equipments:		

- Art. F0022300C F0022400C: Elettropompa mod. By Pass 3000, carter con maniglia, mt. 2 cavo+pinze, interruttore on/off, fusibile salvamotore, raccordi e morsetti.
- Art. F0022500C F0022600C: Elettropompa mod. By Pass 3000, carter con maniglia, mt. 2 cavo+pinze, interruttore on/off, fusibile salvamotore, mt. 4 tubo, Pistola Self 2000, filtro aspirazione, raccordi e morsetti.
- Art. F0034004B-F0034104C: Elettropompa mod. Panther DC, carter con maniglia, mt. 2 cavo+pinze, interruttore on/off, fusibile salvamotore, raccordi e morsetti.
- Art. F0034003B-F0034103C: Elettropompa mod. Panther DC, carter con maniglia, mt. 2 cavo+pinze, interruttore on/off, fusibile salvamotore, mt. 4 tubo, Pistola Self 2000, filtro aspirazione, raccordi e morsetti.
- Art. F00309060 F00310070: Elettropompa mod. Viscomat DC, mt. 2 cavo+pinze, interruttore on/off, fusibile salvamotore, mt.4 tubo, pistola Self 3000, filtro aspirazione, raccordi e morsetti.
- Art. F0023100A F0023200A: Contenitore rigido in plastica facilmente trasportabile, elettropompa mod. By Pass 3000, mt. 4 cavo+pinze, interruttore on/off, fusibile salvamotore, mt. 4 tubo, Pistola Self 2000, valvola di fondo,
- Art. F0023101A F0023201A: Contenitore rigido in plastica facilmente trasportabile, elettropompa mod. By Pass 3000, mt. 4 cavo+pinze, interruttore on/off, fusibile salvamotore, mt. 6 tubo, Pistola Self 2000, raccordi e morsetti, filtro impurità con cartuccia di ricambio, valvola di fondo e guanti.
- Art. F00202000 F00202040: Elettropompa centrifuga con interruttore, tubo 4 mt., pistola manuale in plastica, filtro di fondo per aspirazione, raccordi.
- Art. F00202010 F00202050: Elettropompa centrifuga con interruttore, tubo 4 mt., pistola automatica, filtro di fondo per aspirazione, raccordi.
- Art. F00202020 F00202060: Elettropompa centrifuga con interruttore, contalitri a turbina K24, tubo 4 mt., pistola manuale in plastica, filtro di fondo per aspirazione, raccordi,
- Art. F00202030 F00202070: Elettropompa centrifuga con interruttore, contalitri a turbina K24, tubo 4 mt., pistola automatica, filtro di fondo per aspirazione, raccordi,

- Art. F0022300C F0022400C: By Pass 3000 DC Electric Pump, carrying box c/w handle, mt. 2 cables+clips, on/off switch, save-motor fuse.
- Art. F0022500C F0022600C: By Pass 3000 DC Electric Pump, carrying box c/w handle, mt. 2 cables+clips, on/off switch, save-motor fuse, mt. 4 hose, SELF 2000 nozzle, suction filter, connectors and clamps.
- Art. F0034004B-F0034104C: Panther DC Electric Pump, carrying box w/ handle, mt.2 cables+clips, on/off switch, save-motor fuse.
- Art. F0034003B-F0034103C: Panther DC Electric Pump, carrying box w/ handle, mt.2 cables+clips, on/off switch, save-motor fuse, mt.4 hose, SELF 2000 nozzle, suction filter, connectors and clamps.
- Art. F00309060 F00310070: Viscomat DC Electric Pump, mt. 2 cables+clips, on/off switch, save-motor fuse, mt.4 hose, Self 3000 nozzle, suction filter, connector and clamps.
- Art. F0023100A F0023200A: Carrying plastic box c/w handle., by pass 3000 DC Electric Pump, mt. 4 cables+clips, on/off switch, save-motor fuse, mt. 4 hose, SELF 2000 nozzle, foot valve, connectors and clamps
- Art. F0023101A F0023201A: Carrying plastic box c/w handle., by pass 3000 DC Electric Pump, mt. 4 cables+clips, on/off switch, save-motor fuse, mt. 6 hose, SELF 2000 nozzle, connectors and clamps, filter with spare cartridge, foot valve and gloves.
- Art. F00202000 F00202040: Centrifugal Electric Pump with switch, hose 4 mt., plastic manual nozzle, suction foot filter, connectors and clamps.
- Art. F00202010 F00202050: Centrifugal Electric Pump with switch, hose 4 mt., automatic nozzle, suction foot filter, connectors and clamps.
- Art. F00202020 F00202060: Centrifugal Electric Pump with switch, K24 turbine meter, hose 4 mt., plastic manual nozzle, suction foot filter, connectors and clamps.
- Art. F00202030 F00202070: Centrifugal Electric Pump with switch, K24 turbine meter, hose 4 mt., automatic nozzle, suction foot filter, connectors and clamps.



		Cod.	Modello	Model	Volt/Hz	Euro
ST stazioni elettr	riche -	ST units				
			Senza contalitri	Without meter		
-0		000266P00	ST Panther 56/M	ST Panther 56/M	230/50	228,88
The state of the s		000286P00	ST Panther 56/M A60	ST Panther 56/M A60	230/50	296,12
		000214000	ST E 80/M	ST E 80/M	230/50	365,73
		000244000	ST E 80/M A80	ST E 80/M A80	230/50	453,03
		000216000	ST E 120/M	ST E 120/M	230/50	471,91
		000252000	ST E 120/M A120	ST E 120/M A120	230/50	542,12
		000248000	ST Viscomat 70/M	ST Viscomat 70/M	230/50	371,64
			Con contalitri	With meter		
		F00385P0A	ST Panther 56/M K33	ST Panther 56/M K33	230/50	358,65
		F00287P0A	ST Panther 56/M K33 A60	ST Panther 56/M K33 A60	230/50	425,90
		000390000	ST E 80/M K33	ST E 80/M K33	230/50	495,51
- 4		000392000	ST E 80/M K33 A80	ST E 80/M K33 A80	230/50	582,81
		000395000	ST E 120/M K33	ST E 120/M K33	230/50	602,86
		000397000	ST E 120/M K33 A120	ST E 120/M K33 A120	230/50	673,07
		000256000	ST Viscomat 70/M K33	ST Viscomat 70/M K33	230/50	502,59
			Con contalitri-filtro separatore acqua	With meter and water-absorbing filter		
	New	F00386F60	ST Panther 56 K33 A60 Filtro senza tubo	ST Panther 56 K33 A60 Filter without	230/50	455,00
			di aspirazione	suction hose		
	New	F00386F00	ST Panther 56 K33 A60 Filtro con tubo di	ST Panther 56 K33 A60 Filter with suction	230/50	523,00
, ,			aspirazione	hose		
	New	F00265F00	ST Panther 72 K33 A60 Filtro	ST Panther 72 K33 A60 Filter	230/50	577,00
	New	F00395F00	ST E120 K33 A120 Filtro	ST E120 K33 A120 Filter	230/50	775,00

- Art. 000266P00 000214000 000216000 000248000. Pannello, elettropompa volumetrica autoadescante con interruttore on/off, filtro di linea, mt. 4 tubo di erogazione, pistola manuale, raccordi.
- Art. 000286P00 000244000 000252000. Pannello, elettropompa volumetrica autoadescante con interruttore on/off, filtro di linea, mt. 4 tubo di erogazione, pistola automatica, raccordi.
- Art. F00287P0A 000392000 000397000. Pannello, elettropompa volumetrica autoadescante con interruttore on/off, filtro di linea, mt. 4 tubo di erogazione, pistola automatica, raccordi, contalitri.
- Art. F00385P0A 000390000 000395000 000256000. Pannello, elettropompa volumetrica autoadescante con interruttore on/off, filtro di linea, mt. 4 tubo di erogazione, pistola manuale, raccordi, contalitri
- Art. F00386F00 F00265F00 F00395F00. Pannello, elettropompa volumetrica autoadescante con interruttore on/off, filtro separatore acqua in aspirazione, mt. 6 tubo di erogazione, mt. 4 tubo di aspirazione, pistola automatica, raccordi, contalitri.
- Art. F00386F60. Pannello, elettropompa volumetrica autoadescante con interruttore on/off, filtro separatore acqua in aspirazione, mt. 6 tubo di erogazione, pistola automatica, raccordi, contalitri.

- Art. 000266P00 000214000 000216000 000248000 Wall plate, self-priming electric pump, filter, mt. 4 delivery hose, ON/OFF switch (not on three phase), manual nozzle.
- Art. 000286P00 000244000 000252000

Wall plate, self-priming electric pump, filter, mt. 4 delivery hose, ON/OFF switch (not on three phase), automatic nozzle.

- Art. F00287P0A 000392000 000397000
- Wall plate, self-priming electric pump, filter, K33 meter, mt. 4 delivery hose, ON/OFF switch, automatic nozzle.
- Art. F00385P0A 000390000 000395000 000256000 Wall plate, self-priming electric pump, K33 meter, mt. 4 delivery hose, ON/OFF switch, manual nozzle.
- Art. F00386F00 F00265F00 F00395F00

Wall plate, self-priming electric pump, filter, K33 meter, mt. 6 delivery hose, mt. 4 suction hose, water-absorbing filter in suction line, ON/OFF switch, automatic nozzle.

• Art. F00386F60. Wall plate, self-priming electric pump, filter, K33 meter, mt. 6 delivery hose, water-absorbing filter in suction line, ON/OFF switch, automatic nozzle.

Cassetta metallica - Metal box										
		00933100A	Cassetta Metallica per Stazioni	Metal Box with Kit Lock	224,72					
10										



New	F00365020	ST Cassetta Panther Basic	ST Box Panther 56 Basic	230/50	880,00
New	F00365010	ST Cassetta Panther Pro	ST Box Panther 72 Pro	230/50	1.250,00

• Art. F00365020

Cassetta Metallica per Stazioni, elettropompa volumetrica autoadescante PANTHER 56 con interruttore on/off, contalitri meccanico K33, filtro separatore acqua, mt. 6 tubo di erogazione, pistola automatica A60.

• Art. F00365010

Cassetta Metallica per Stazioni, elettropompa volumetrica autoadescante PANTHER 72 con interruttore on/off, contalitri meccanico K33, filtro separatore acqua, mt. 6 tubo di erogazione, pannello controllo pompa ACCESS, portapistola con switch, pistola automatica A60, nr.1 chiave manager rossa, nr. 4 chiavi gialle utenti.

# **Equipments:**

• Art. F00365020

Metal Box with Kit Lock, self-priming electric pump PANTHER 56 with , ON/OFF switch, K33 meter, water-absorbing filter, mt. 6 delivery hose, automatic nozzle A60.

• Art. F00365010

Metal Box with Kit Lock, self-priming electric pump PANTHER 72 with , ON/OFF switch, K33 meter, water-absorbing filter, mt. 6 delivery hose, pump control box ACCESS, nozzle-holder with switch, automatic nozzle A60, nr.1 manager red key, nr.4 users yellow keys



		Cod.	Modello	Model	Volt/Hz	Euro
ità di travaso g	gasolio	o per fusti -	Diesel transfer units for drums			
			Senza contalitri	Without meter		
G		000271P00	Drum 56	Drum 56	230/50	257,67
100		000273P00	Drum 56 A60	Drum 56 A60	230/50	324,92
		000270000	Drum Viscomat 70	Drum Viscomat 70	230/50	329,16
		F0026100D	Drum Viscomat 200/2	Drum Viscomat 200/2	230/50	331,46
		F0022201A	Drum Bi-Pump 12V	Drum Bi-Pump 12V	12	443,50
		F0022203A	Drum Bi-Pump 12V A120	Drum Bi-Pump 12V A120	12	513,71
			Disponibili versioni 24V	Versions 24V available		
	New	F16586000	Kit Accessori per Drum 3000	Kit Drum 3000 Accessories		48,00
	New	F16631000	Kit Adattatore Drum 3000 K33-Filtro	Kit Drum 3000 K33-Filter Adapter		66,00
-		F0026300D	Viscotroll 200/2	Viscotroll 200/2	230/50	593,26
		F0026302D	Viscotroll 200/2 PST *	Viscotroll 200/2 PST *	230/50	806,74
		000263100	Viscotroll 70	Viscotroll 70	230/50	577,53
V		F00263200	Viscotroll 120/1 12V PST *	Viscotroll 120/1 12V PST *	12	1.134,84
			* sistema con pressostato	* flowmat system		
	Dotazio	ni:		Equipments:		

# Versioni senza contalitri

- Art. 000271P00-F0022201A-000270000-F0026100D: Elettropompa con interruttore on/off, porta-pistola, tubo telescopico di aspirazione, mt. 4 tubo di erogazione, pistola manuale, raccordi e morsetti.
- Art. 000273P00-F0022203A: Elettropompa con interruttore on/off, portapistola, tubo telescopico di aspirazione, mt. 4 tubo di erogazione, pistola automatica, raccordi e morsetti.
- Art. F16586000: Tubo telescopico di aspirazione, kit attacco rapido, kit supporto pistola, kit collettore 90° nuova BP3000.
- Art. F16631000: Tubo telescopico di aspirazione, kit attacco rapido, kit supporto pistola, kit collettore 90° nuova BP3000, raccordi per montaggio filtro e contalitri K33.
- Art. F0026300D-F0026302D-000263100: Elettropompa con interruttore on/off, porta-pistola, tubo telescopico di aspirazione, mt. 4 tubo di erogazione, pistola manuale, raccordi e morsetti, carrello portafusto.
- Art. F00263200: Elettropompa 12V con interruttore on/off, mt. 4 tubo di erogazione, pistola manuale, porta-pistola, tubo telescopico di aspirazione, portafusto, carica batteria incorporato.

### **Equipments:**

### Without meter versions

- Art. 000271P00-F0022201A-000270000-F0026100D: Self-priming electric pump, mt. 4 delivery hose, ON/OFF switch, manual nozzle, nozzle holder, telescopic suction pipe.
- Art. 000273P00-F0022203A: Self-priming electric pump, mt. 4 delivery hose, ON/OFF switch, automatic nozzle, nozzle holder, telescopic suction pipe.
- $\bullet$  Art. F16586000: Telescopic suction hose, quick coupling, nozzle holder, flanged elbow 90°.
- Art. F16631000: Telescopic suction hose, quick coupling, nozzle holder, flanged elbow 90°, connectors for K33 meter and filter.
- Art. F0026300D-F0026302D-000263100: Self-priming electric pump, mt. 4 delivery hose, ON/OFF switch, manual nozzle, nozzle holder, telescopic suction pipe, trolley for drum.
- Art. F00263200: Self-priming gear-pump, mt. 4 delivery hose, ON/OFF switch, manual nozzle, nozzle holder, telescopic suction pipe, trolley for drum, built-in battery charger.

		Cod.	Modello	Model	Volt/Hz	Euro
Linea ATEX explo	sion p	proof - ATE	X explosion proof range			
	New	F00371000	Pompa Atex EX50 (singola)	Atex Pump EX50 (only)	12	313,00
	New	F00372020	Pompa Atex EX50 + porta pistola	Atex Pump EX50 + Nozzle Holder	12	335,00
			+ attacco Drum 2" BSP	+ Drum Connector 2" BSP		
					_	
			Drum	Drum		
	New	F00372000	Pompa Atex EX50 + pistola manuale +	Atex Pump EX50 + manual nozzle + tele-	12	456,00
7 70 2			tubo aspirazione rigido + tubo mandata 4	scopic suction pipe + 4 mt delivery hose		
			mt + filtro separatore acqua	+ water absorbing filter		
	New	F00372010	Pompa Atex EX50 + pistola automatica +	Atex Pump EX50 + automatic nozzle +	12	508,00
			tubo aspirazione rigido + tubo mandata 4	telescopic suction pipe + 4 mt delivery		
			mt + filtro separatore acqua	hose + water absorbing filter		
	New	F17996000	Pressacavo Atex per EX50	Cable gland Atex EX50		13,00
	New	F00613020	Pistola automatica Atex	Atex Automatic Nozzle		87,00
	New	00065003A	Pistola manuale Self 3000 Atex 1" BSP -	Self 3000 Atex manual nozzle 1" BSP -		35,00
			estremità per benzina verde	unleaded spout		



Cod.	Modello	Model	Volt/Hz	Euro
------	---------	-------	---------	------

# Distributore - Dispenser



New	F00212000	Piusi PIT STOP 45 12V/14 mt	Piusi PIT STOP 45 12V/14 mt	12	1.130,00

Unità di travaso	gasolio per fusti -	Diesel transfer units for drums			
		Con contalitri	With meter		
	000272P00	Drum 56 K33	Drum 56 K33	230/50	388,64
A	000274P00	Drum 56 K33 A60	Drum 56 A60	230/50	454,70
10	000270010	Drum Viscomat 70 K33	Drum Viscomat 70 K33	230/50	458,94
	F0026200D	Drum Viscomat 200/2 K400	Drum Viscomat 200/2 K400	230/50	511,24
	F0000054	D D' D 401/1/00	D D' D 40/1/00		F=0.00
1	F0022205A	Drum Bi-Pump 12V K33	Drum Bi-Pump 12V K33	12	573,28
	F0022207A	Drum Bi-Pump 12V K33 A120	Drum Bi-Pump 12V K33 A120	12	643,48
il iso		Disponibili versioni 24V	Versions 24V available		
		I	1.0	1000/501	
	F0026303D	Viscotroll 200/2 K400 PST *	Viscotroll 200/2 K400 PST *	230/50	973,04
	000263110	Viscotroll 70 K33	Viscotroll 70 K33	230/50	707,31
	F0026301D	Viscotroll 200/2 K400	Viscotroll 200/2 K400	230/50	766,30
Q.	F00263210	Viscotroll 120/1 12V K400 PST *	Viscotroll 120/1 12V K400 PST *	12	1.359,56
		* sistema con pressostato	* flowmat system		

### Dotazioni:

# Versioni con contalitri

- Art. 000272P00-F0022205A-000270010: Elettropompa con interruttore on/off, portapistola, tubo telescopico di aspirazione, mt. 4 tubo di erogazione, contalitri K33, pistola self 2000, raccordi e morsetti.
- Art. 000274P00-F0022207A: Elettropompa con interruttore on/off, portapistola, tubo telescopico di aspirazione, mt. 4 tubo di erogazione, pistola automatica,raccordi e morsetti, contalitri.
- Art. F0026200D: Elettropompa con interruttore on/off, porta-pistola, tubo telescopico di aspirazione, mt. 4 tubo di erogazione, contalitri K400, pistola manuale, raccordi e morsetti.
- Art. F0026301D-F0026303D-000263110: Elettropompa con interruttore on/off, portapistola, tubo telescopico di aspirazione, mt. 4 tubo di erogazione, pistola manuale, raccordi e morsetti, carrello portafusto, contalitri
- Art. F00263210: Elettropompa 12V con interruttore on/off, mt. 4 tubo di erogazione, pistola manuale, porta-pistola, tubo telescopico di aspirazione, contalitri, portafusto, carica batteria incorporato.
- Art. F00212000: Arrotolatore, 2 pompe BP 3000 12 Volt, 14 mt. tubo gasolio 3/4", pistola automatica A60, filtro separatore acqua.

### **Equipments:**

# With meter versions

- Art. 000272P00-F0022205A-000270010: Self-priming electric pump, mt. 4 delivery hose, ON/OFF switch, K33 meter, manual nozzle, nozzle holder, telescopic suction pipe.
- Art. 000274P00-F0022207A: Self-priming electric pump, mt. 4 delivery hose, ON/OFF switch, K33 meter, automatic nozzle, nozzle holder, telescopic suction pipe, meter.
- Art. F0026200D: Self-priming electric pump, mt. 4 delivery hose, ON/OFF switch, K400 meter, manual nozzle, nozzle holder, telescopic suction pipe.
- Art. F0026301D-F0026303D-000263110: Self-priming electric pump, mt. 4 delivery hose, ON/OFF switch, manual nozzle, nozzle holder, telescopic suction pipe, trolley for drum, meter.
- Art. F00263210: Self-priming gear-pump 12V, mt. 4 delivery hose, ON/OFF switch, manual nozzle, nozzle holder, telescopic suction pipe, K400 meter, trolley for drum, built-in battery charger.
- Art. F00212000: Hosereel, 2 BP 3000 12 Volt pumps, 14 mt delivery hose 3/4", automatic nozzle A60, water captor filter.

		Cod.	Modello	Model	Volt/Hz	Euro
Gruppo ST200 - S	T200 gı	roup				
	New	F00315000	Gruppo ST200	ST200 Group	230/50	1.060,00
100			Accessori	Accessories		
L	New	F16860000	Kit Ruote / Maniglia ST 200	Kit Trolley / Handle ST 200		78,00
	New	F00540000	Contalitri Meccanico K700M It/gas Ver. A	K700M It/gas Mechanical Meter Ver. A		750,00

# Dotazioni:

• Art. F00315000: Struttura autoportante in lamiera, elettropompe 230V/50Hz, interruttore ON/OFF

# Equipments:

 Art. F00315000: Sturdy frame, Self-priming electric pumps 230V/50Hz, ON/OFF switch.



		Cod.	Modello	Model	Volt/Hz	Euro
Elettropompe - Ele	ectropu	mps				
		F00730000	Panther 56	Panther 56	230/50	146,07
QI		000732000	Panther 72	Panther 72	230/50	179,33
		000305000	E 80/M	E 80/M	230/50	261,92
		000326000	E 120/M	E 120/M	230/50	350,39
		F0031900A	P 80 EEX Monofase	P 80 EEX Monophase	230/50	600,51
40		F0031700A	P 80 EEX Trifase	P 80 EEX Threephase	230/50	512,02
	New	F00342000	BP3000 12V	BP3000 12V	12	112,00
	New	F00347000	BP3000 24V	BP3000 24V	24	112,00
			Accessori	Accessories		
	Mour	E1601100A				F 60
	New	F1601100A F16293000	Coperchio con interruttore	Electrical Box with switch	10\/	5,60
	New		Kit morsettiera + Cavo 2mt 12V	Kit Terminal Box+2mt Cable with clamp		14,50
	New	F16294000	Kit morsettiera + Cavo 2mt 24V	Kit Terminal Box+2mt Cable with clamp 2		14,50
	New	F16295000	Kit morsettiera + Cavo 4mt 12V	Kit Terminal Box+4mt Cable with clamp 1		19,70
	New	F16296000	Kit morsettiera + Cavo 4mt 24V	Kit Terminal Box+4mt Cable with clamp 2	4V	19,70
	New	F16172000	Kit n°2 Portagomma 3/4" Dritto	Kit nr.2 pcs 3/4" Straight Hose Tail		8,55
	New	F17124000	Kit n°2 Portagomma 1" Dritto	Kit nr.2 pcs 1" Straight Hose Tail		9,50
9 000	New	F16173000	Kit n°1 Portagomma 3/4" 90°	Kit nr. 1 pcs 3/4" 90° Hose Tail		8,55
	New	F17262000	Kit n°1 Portagomma 1" 90°	Kit nr. 1 pcs 1" 90° Hose Tail		9,70
0	New	F16178000	Kit n°1 Collettore 90°	Kit nr. 1 pcs Flanged Elbow 90°		8,10
N. C.	New	F16770000	Kit n°1 Collettore 90° senza flangia	Kit nr. 1 Elbow 90° without Flange		8,10
	New	F16799000	Kit n°1 Raccordo 1" BSP F	Kit nr. 1 Flanged adapter 1" BSP F		5,00
	New	F17314000	Kit n°1 Raccordo 3/4" BSP F	Kit nr. 1 Flanged adapter 3/4" BSP F		7,20
	New	F17313000	Kit n°1 Raccordo 1" BSP M	Kit nr. 1 Flanged adapter 1" BSP M		8,50
		F0034000B	Panther DC 12V	Panther DC 12V	12	152,81
61		F0034100C	Panther DC 24/12V	Panther DC 24/12V	24/12	201,12
-510		F00363A0A	BI-PUMP 12V con interruttore	BI-PUMP 12V with switch	12	326,71
			BI-PUMP 24V con interruttore	BI-PUMP 24V with switch	24	326,71
	-	F0036301A	BI-PUMP 12V con interruttore + cavo 2mt	1 2 1		
		F0036301A		BI-PUMP 12V with switch + cable 4mt	12	351,49
	-		BI-PUMP 12V con interruttore + cavo 4mt BI-PUMP 24V con interruttore + cavo 2mt	BI-PUMP 24V with switch + cable 4mt	12	358,57
		F0036303A			24	351,49
		F0036304A	BI-PUMP 24V con interruttore + cavo 4mt	BI-PUMP 24V with switch + cable 4mt	24	358,57
		F0036321A	BI-PUMP 12/24V senza interruttore e senza cavo	BI-PUMP 12/24V without switch and without cable	12/24	303,12



	Cod.	Modello	Model	Volt/Hz	Eu
comat					
	F0030403D	Viscomat 200/2 M	Viscomat 200/2 M	230/50	274,
	F0030405D	Viscomat 200/2 T	Viscomat 200/2 T	400/50	274,
1	F0030430D	Viscomat 230/3 M	Viscomat 230/3 M	230/50	340,
	F00304T4D	Viscomat 230/3 T	Viscomat 230/3 T	400/50	340,
	F0030401D	Viscomat 350/2 M	Viscomat 350/2 M	230/50	340
	F00304T1D	Viscomat 350/2 T	Viscomat 350/2 T	400/50	340
	F0030200D	Viscomat 200/2 M con Pressostato	Viscomat 200/2 M with Flowmat	230/50	486
	F0030204D	Viscomat 230/3 M con Pressostato	Viscomat 230/3 M with Flowmat	230/50	551
	F0030206D	Viscomat 350/2 M con Pressostato	Viscomat 350/2 M with Flowmat	230/50	551
Geo	F0030902A	Viscomat 60/1 12V DC	Viscomat 60/1 12V DC	12	216
	F0030901A	Viscomat 60/2 12V DC	Viscomat 60/2 12V DC	12	240
	F0030900A	Viscomat 120/1 12V DC	Viscomat 120/1 12V DC	12	240
	F0031002A	Viscomat 60/1 24V DC	Viscomat 60/1 24V DC	24	216
200	F0031001A	Viscomat 60/2 24V DC	Viscomat 60/2 24V DC	24	240
	F0031000A	Viscomat 120/1 24V DC	Viscomat 120/1 24V DC	24	240
	F00311000	Viscomat 120/1 12V PST *	Viscomat 120/1 12V PST *	12	365
	F00311010	Viscomat 120/1 24V PST *	Viscomat 120/1 24V PST *	24	365
		*sistema con pressostato	*flowmat system		
	F0033490A	Viscomat 70 M	Viscomat 70 M	230/50	280
	F0033190A	Viscomat 70 T	Viscomat 70 T	400/50	280
	F00303M00	Viscomat 90 M	Viscomat 90 M	230/50	320
	000303000	Viscomat 90 T	Viscomat 90 T	400/50	305

Pompe a mano - H	and pumps			
_	F0031600A	Pompa a mano GPI Pistone	Hand pump GPI Piston	304,38
$\bigcap$	F0033200A	Pompa a mano Rotativa in alluminio	Aluminium rotative Hand pump	44,83
	F0033201A	Pompa a mano Rotativa in ghisa	Rotative cast iron Hand pump	27,02
	F0034900A	Pompa a mano a leva	Lever Hand pump	23,60
Ť	F0035100A	Pompa a mano a pistone 35 I/min	Piston Hand pump 35 L/M'	34,33
	F0035200A	Ingrassatore 500cc / 16oz	Grease gun 500cc / 16oz	18,05
0	F0035201A	Ingrassatore 800cc / 28oz	Grease gun 800cc / 28oz	20,65
	F0035202A	Ingrassatore 1000cc / 35oz	Grease gun 1000cc / 35oz	23,67

Contalitri meccanic	i - Mechanical mete	ers		
	000550000	Contalitri K33 Ver. A	K33 meter Ver. A	129,78
-000		Disponibili versioni B-C-D	Versions B-C-D available	
<b>3000</b>				
	000560000	Contalitri K44 Ver. A	K44 meter Ver. A	176,97
0000		Disponibili versioni B-C-D	Versions B-C-D available	
11111111 -	000505004		I KAA/DI II OED	252.00
	00056500A	Contalitri K44/PULSER Ver. D	K44/PULSER meter Ver. D	353,93
	F00540000	Contalitri meccanico K700M lt/gas Ver. A	K700 lt/gas Mechanical meter Ver. A	750,00
		Disponibili versioni B-C-D	Versions B-C-D available	
-				
	F00490020	Contalitri K40 meccanico litri	K40 lt/gas Mechanical meter	169,89



		Cod.	Modello	Model	Volt/Hz	Euro
Contalitri elettronici	- Elec	tronic meter	'S			
	New	F00408100	K24-A contal. a turbina-allum. M/F 1" BSP	K24-A aluminium turbine meter M/F 1" BSP		153,00
		F0043011A	Greaster di linea GR/KG - Contagrammi per grasso	K200 in-line Grease meter GR/KG		259,55
		F0043012A	Contalitri K200 mL/L	K200 meter mL/L		259,55
	M	F00404000	O	1//400		400.00
	New New	F00484000 000483020	Contalitri K400 CAL L/BSP Contalitri K400 CAL L/BSP liquido lavavetri	K400 meter CAL L/BSP Windscreen		169,89 244,21
		F00496A00	Contalitri K600/3 1in BSP vers. Gasolio	K600/3 electr. meter 1in BSP diesel version		250,00
		F00496A20	Contalitri K600/3 3/4in BSP vers. Olio	K600/3 electr. meter 3/4in BSP oil version		270,00
		00049700A	Contalitri K600/4 LITRI 1 1/2in BSP	K600/4 meter 1 1/2in BSP		350,00
		F0049900A	K900 Contalitri 3in BSP	K900 meter 3in BSP		1.850,00
		F0057201A	Kit MC BOX, K600 New, Chiavi, PC software (80 utenti)	Kit MC BOX, K600 New, Keys, PC softwareE (80 users)	230/50	1.595,51
		F1398000B	Kit MC BOX 230V 80 utenti	Kit MC BOX 230V 80 users	230/50	876,41
120.0		F1398005A	Kit MC BOX 230V 120 utenti	Kit MC BOX 230V 120 users	230/50	1.315,67
		F1398001A	Kit MC BOX 12V 120 utenti	Kit MC BOX 12V 120 users	12	1.315,67
<b>МС ВОХ</b>		F1398002A	Kit MC BOX 24V 120 utenti	Kit MC BOX 24V 120 users	24	1.315,67
	New	F13980100	Kit MC BOX Preset puls out (con emettitore di impulsi)	Kit MC BOX Preset puls out (pulse transmitter)	85-260V 50-60Hz	771,00

Pistole contalitri - A	lozzle meters			
	F00973030	K40 lt/gas con estremita' rigida	K40 I\gas with Rigid spout	228,88
	F00973020	K40 lt/gas con estremita' flessibile	K40 Ngas with Flexible spout	234,78
	F00984000	K400 CAL It/gas + Easy oil + Swivel +	K400 CAL I\gas + Easy oil + Swivel +	228,88
		Estremità rigida	Rigid spout	
	F00984010	K400 CAL It/gas + Easy oil + Swivel +	K400 CAL I\gas + Easy oil + Swivel +	234,78
		Estremità flessibile	Flexible spout	
	F00976W00	K400 Windscreen + Pistola + Estremità	K400 EASY Windscreen + Swivel + Rigid	303,37
		rigida + Swivel	spout	
4	F00971000	K600 lt/gas con Estremità rigida	K600 lt/gas with Rigid spout	447,43
	F00971010	K600 lt/gas con Estremità flessibile	K600 lt/gas with Flexible spout	480,18
4				
	F0068700C	K500 Presettabile con Estremità rotante	K500 Preset batch meter with Rotating	530,90
8			spout	
	F00687200	K500 Presettabile con Estremità rigida	K500 Preset batch meter with Rigid spout	514,00
				514,00
	F00687210	K500 Presettabile con Estremità flessibile	K500 Preset batch meter with Flexible	520,00
	F00687210	K500 Presettabile con Estremità flessibile		
1	F00687210 F0043000A	K500 Presettabile con Estremità flessibile  Greaster - Pistola contagrammi per	K500 Preset batch meter with Flexible	-
			K500 Preset batch meter with Flexible spout	520,00
		Greaster - Pistola contagrammi per	K500 Preset batch meter with Flexible spout	520,00
	F0043000A	Greaster - Pistola contagrammi per grasso Gr/Kg	K500 Preset batch meter with Flexible spout  Greaster - Grease meter nozzle GR/KG	520,00 364,56



		Cod.	Modello	Model	Volt/Hz Euro
ontalitri pulsers -	1	meters F00408200	K24 Alluminio Pulser M/F 1" BSP	K24 Aluminium Pulser M/F 1" BSP	114,00
		000452000	K200 Pulser 1/4in BSP	K200 Pulser 1/4in BSP	129,78
		000452030	K200 Pulser HP 1/8in BSP per grasso	K200 Pulser HP 1/8in BSP for grease	153,37
		F00440200	K400 Pulser 1/2in BSP	K400 Pulser 1/2in BSP	94,38
		00044007A	K400 Pulser 1/2in BSP per liquido	K400 Pulser 1/2in BSP for Windscreen	212,36
ale de		F00472A00	K600/3 Pulser 1in BSP versione Gasolio	K600/3 Pulser 1in BSP Diesel version	200,00
		F00472A20	K600/2-3 Pulser 3/4in BSP versione Olio	K600/2-3 Pulser 3/4in BSP Oil version	224,00
		000473000	K600/4 Pulser 1 1/2in BSP	K600/4 Pulser 1 1/2in BSP	300,00
		F0049800A	K700 Pulser 2in BSP	K700 Pulser 2in BSP	825,00
		F0049902A	K900 Pulser 3in BSP	K900 Pulser 3in BSP	1.900,00
3					
splay remoto co	n emett	titore di impu	ılsi - Remote display with pulse transmi		
		F0049501A	Display Remoto UNIVERSALE	Remote Display with Puls out UNIVERSAL	286,20
The state of the s		F1175200B	Display Remoto K600/3	Remote Display with Puls out K600/3	201,40
20		F1175300B	Display Remoto K600/4	Remote Display with Puls out K600/4	201,40
		F1175400B	Display Remoto K700	Remote Display with Puls out K700	201,40
		F0049502A	Display Remoto PULS IN	Remote Display with PULS IN	309,11
stole Manuali - <i>N</i>	/lanual	Nozzles			
12		F00641130	Self 2000 Pistola manuale 1in BSP	Self 2000 Manual nozzle 1in BSP	18,88
1/10					
		F0065000A	Self 3000 Pistola manuale 1in BSP	Self 3000 Manual nozzle 1in BSP	21,23
		00065001A	Self 3000 Pistola manuale 1in BSP - estremità per benzina verde	Self 3000 Manual nozzle 1in BSP - unleaded spout	22,42
		F0063000A	Pistola in plastica 1in con Swiwel - Nera -	Plastic nozzle 1in W/Swiwel - Black	11.24
<del></del>		F0063000A F0063001A	Pistola in plastica 1in con Swiwel - Nera - Pistola in plastica 1in senza Swiwel - Bianca	Plastic nozzle 1in W/Swiwel - Black Plastic nozzle 1in W/O Swiwel - White	11,24 19,10
4			Pistola in plastica 1in senza Swiwel -		
stole Automatick	ne con s	F0063001A F00976W10	Pistola in plastica 1in senza Swiwel - Bianca Pistola per liquido lavavetri + Estremità rigida + Swivel	Plastic nozzle 1in W/O Swiwel - White	19,10
stole Automatich	ne con (	F0063001A F00976W10 Swivel - <i>Auto</i>	Pistola in plastica 1 in senza Swiwel - Bianca Pistola per liquido lavavetri + Estremità rigida + Swivel	Plastic nozzle 1in W/O Swiwel - White	19,10 59,16
stole Automatich	ne con S	F0063001A F00976W10	Pistola in plastica 1in senza Swiwel - Bianca Pistola per liquido lavavetri + Estremità rigida + Swivel	Plastic nozzle 1 in W/O Swiwel - White  Windscreen nozzle + Rigid spout + Swivel	19,10
stole Automatich	ne con s	F0063001A F00976W10 Swivel - Auto F00603060	Pistola in plastica 1 in senza Swiwel - Bianca Pistola per liquido lavavetri + Estremità rigida + Swivel  Pistola automatica A60 1 in F Pistola automatica A60 1 in F - Estremità	Plastic nozzle 1 in W/O Swiwel - White  Windscreen nozzle + Rigid spout + Swivel  Automatic nozzle A60 1 in F  Automatic nozzle A60 1 in F - Unleaded	19,10 59,16 64,30
stole Automatich		F0063001A F00976W10 Swivel - <i>Auto</i> F00603060 F00602020	Pistola in plastica 1 in senza Swiwel - Bianca Pistola per liquido lavavetri + Estremità rigida + Swivel  Pistola automatica A60 1 in F Pistola automatica A60 1 in F - Estremità per benzina verde	Plastic nozzle 1in W/O Swiwel - White  Windscreen nozzle + Rigid spout + Swivel  Automatic nozzle A60 1in F  Automatic nozzle A60 1in F - Unleaded spout	19,10 59,16 64,30 64,30
stole Automatich		F0063001A F00976W10 Swivel - <i>Auto</i> F00603060 F00602020 F00613A00	Pistola in plastica 1 in senza Swiwel - Bianca Pistola per liquido lavavetri + Estremità rigida + Swivel  matic Nozzles with Swivel Pistola automatica A60 1 in F Pistola automatica A60 1 in F - Estremità per benzina verde Pistola automatica A60 EN13012	Plastic nozzle 1in W/O Swiwel - White  Windscreen nozzle + Rigid spout + Swivel  Automatic nozzle A60 1in F  Automatic nozzle A60 1in F - Unleaded spout  Automatic nozzle A60 EN13012	19,10 59,16 64,30 64,30 75,00
stole Automatich		F0063001A F00976W10 Swivel - Auto F00603060 F00602020 F00613A00 F00602030	Pistola in plastica 1 in senza Swiwel - Bianca Pistola per liquido lavavetri + Estremità rigida + Swivel  Pistola automatica A60 1 in F Pistola automatica A60 1 in F - Estremità per benzina verde Pistola automatica A60 EN13012 Pistola automatica A60 1 in F per Rapsoil	Plastic nozzle 1in W/O Swiwel - White  Windscreen nozzle + Rigid spout + Swivel  Automatic nozzle A60 1in F  Automatic nozzle A60 1in F - Unleaded spout  Automatic nozzle A60 EN13012  Automatic nozzle A60 1in F for Rapsoil	19,10 59,16 64,30 64,30 75,00 70,73



	Cod.	Modello	Model	Volt/Hz	Euro
Pistole - Nozzles					
	F00966130	Easyoil + Swivel + Estremità rigida +	Easyoil + Swivel + Rigid spout +		47,87
1		Valvola automatica	Automatic anti-drip valve		
1	F00966140	Easyoil + Swivel + Estremità flessibile +	Easyoil + Swivel + Flexible spout +		53,93
		Valvola automatica	Automatic anti-drip valve		
	F00966150	Easyoil + Swivel + Estremità rotante +	Easyoil + Swivel + Rotating spout +		63,14
		Valvola automatica	Automatic anti-drip valve		
	F0096600A	Impugnatura Easyoil FF 1/2in X1/2in BSP	Handgrip Easyoil FF 1/2in x 1/2in BSP		22,24
_		Nera	Black		
		Disponibili colori: Rosso, Verde, Giallo, Blu	Versions Red, Green, Yellow, Blue colour available		
				,	
	F09949000	Filtro per Easyoil	Filter for Easyoil		2,44
	F00634000	Pistola olio HF / HP	Oil nozzle HF / HP		142,04
	1 00004000		OII HOZZIE I II / I II		172,07
		Accessori	Accessories		
	F09659000	Protezione Swivel - Nera	Swivel Rubber Protection - Black		3,04
	1.0000000	Disponibili colori: Rosso, Verde, Giallo, Blu	Versions Red, Green, Yellow, Blue colour available		
	F 0000000	I .	I .		
	1.000000	I .	I .		
	F00665000	Disponibili colori: Rosso, Verde, Giallo, Blu	Versions Red, Green, Yellow, Blue colour available		19,29
		Disponibili colori: Rosso, Verde, Giallo, Blu  Estremità per pistole Easyoil	Versions Red, Green, Yellow, Blue colour available  Spouts for Easy Oil nozzle		19,29
		Disponibili colori: Rosso, Verde, Giallo, Blu  Estremità per pistole Easyoil  Estremità Rigida A/P con valvola	Versions Red, Green, Yellow, Blue colour available  Spouts for Easy Oil nozzle  Rigid Spout A/P with automatic anti-drip		19,29
	F00665000	Disponibili colori: Rosso, Verde, Giallo, Blu  Estremità per pistole Easyoil  Estremità Rigida A/P con valvola antigoccia automatica	Versions Red, Green, Yellow, Blue colour available  Spouts for Easy Oil nozzle  Rigid Spout A/P with automatic anti-drip valve		
	F00665000	Disponibili colori: Rosso, Verde, Giallo, Blu  Estremità per pistole Easyoil  Estremità Rigida A/P con valvola antigoccia automatica  Estremità Flessibile A/P con valvola	Versions Red, Green, Yellow, Blue colour available  Spouts for Easy Oil nozzle  Rigid Spout A/P with automatic anti-drip valve  Flexible Spout A/P with automatic anti-drip valve		
	F00665000 F00666000	Disponibili colori: Rosso, Verde, Giallo, Blu  Estremità per pistole Easyoil  Estremità Rigida A/P con valvola antigoccia automatica  Estremità Flessibile A/P con valvola antigoccia automatica	Versions Red, Green, Yellow, Blue colour available  Spouts for Easy Oil nozzle  Rigid Spout A/P with automatic anti-drip valve  Flexible Spout A/P with automatic anti-		25,60
	F00665000 F00666000	Disponibili colori: Rosso, Verde, Giallo, Blu  Estremità per pistole Easyoil  Estremità Rigida A/P con valvola antigoccia automatica  Estremità Flessibile A/P con valvola antigoccia automatica  Estremità Rotante A/P con valvola	Versions Red, Green, Yellow, Blue colour available  Spouts for Easy Oil nozzle  Rigid Spout A/P with automatic anti-drip valve  Flexible Spout A/P with automatic anti-drip valve  Rotating Spout A/P with automatic anti-		25,60
	F00665000 F00666000 000669000	Disponibili colori: Rosso, Verde, Giallo, Blu  Estremità per pistole Easyoil  Estremità Rigida A/P con valvola antigoccia automatica  Estremità Flessibile A/P con valvola antigoccia automatica  Estremità Rotante A/P con valvola antigoccia automatica	Versions Red, Green, Yellow, Blue colour available  Spouts for Easy Oil nozzle  Rigid Spout A/P with automatic anti-drip valve  Flexible Spout A/P with automatic anti-drip valve  Rotating Spout A/P with automatic anti-drip valve  Rigid Spout B/P		25,60 33,52 16,85
	F00665000 F00666000 000669000 F0067000A	Disponibili colori: Rosso, Verde, Giallo, Blu  Estremità per pistole Easyoil  Estremità Rigida A/P con valvola antigoccia automatica  Estremità Flessibile A/P con valvola antigoccia automatica  Estremità Rotante A/P con valvola antigoccia automatica  Estremità Rigida B/P	Versions Red, Green, Yellow, Blue colour available  Spouts for Easy Oil nozzle  Rigid Spout A/P with automatic anti-drip valve  Flexible Spout A/P with automatic anti-drip valve  Rotating Spout A/P with automatic anti-drip valve		25,60
	F00665000 F00666000 000669000 F0067000A F0067002A	Disponibili colori: Rosso, Verde, Giallo, Blu  Estremità per pistole Easyoil  Estremità Rigida A/P con valvola antigoccia automatica  Estremità Flessibile A/P con valvola antigoccia automatica  Estremità Rotante A/P con valvola antigoccia automatica  Estremità Rigida B/P  Estremità Rigida 90 mm B/P	Versions Red, Green, Yellow, Blue colour available  Spouts for Easy Oil nozzle  Rigid Spout A/P with automatic anti-drip valve  Flexible Spout A/P with automatic anti-drip valve  Rotating Spout A/P with automatic anti-drip valve  Rigid Spout B/P  Rigid Spout 90 mm B/P		25,60 33,52 16,85 15,23
	F00665000 F00666000 000669000 F0067000A F0067002A	Disponibili colori: Rosso, Verde, Giallo, Blu  Estremità per pistole Easyoil  Estremità Rigida A/P con valvola antigoccia automatica  Estremità Flessibile A/P con valvola antigoccia automatica  Estremità Rotante A/P con valvola antigoccia automatica  Estremità Rigida B/P  Estremità Rigida 90 mm B/P	Versions Red, Green, Yellow, Blue colour available  Spouts for Easy Oil nozzle  Rigid Spout A/P with automatic anti-drip valve  Flexible Spout A/P with automatic anti-drip valve  Rotating Spout A/P with automatic anti-drip valve  Rigid Spout B/P  Rigid Spout 90 mm B/P		25,60 33,52 16,85 15,23
	F00665000 F00666000 000669000 F0067000A F0067002A F0067100A	Disponibili colori: Rosso, Verde, Giallo, Blu  Estremità per pistole Easyoil  Estremità Rigida A/P con valvola antigoccia automatica  Estremità Flessibile A/P con valvola antigoccia automatica  Estremità Rotante A/P con valvola antigoccia automatica  Estremità Rigida B/P  Estremità Rigida 90 mm B/P  Estremità Flessibile B/P	Versions Red, Green, Yellow, Blue colour available  Spouts for Easy Oil nozzle  Rigid Spout A/P with automatic anti-drip valve  Flexible Spout A/P with automatic anti-drip valve  Rotating Spout A/P with automatic anti-drip valve  Rigid Spout B/P  Rigid Spout B/P  Flexible Spout B/P		25,60 33,52 16,85 15,23 22,92
	F00665000 F00666000 000669000 F0067000A F0067002A F0067100A	Disponibili colori: Rosso, Verde, Giallo, Blu  Estremità per pistole Easyoil  Estremità Rigida A/P con valvola antigoccia automatica  Estremità Flessibile A/P con valvola antigoccia automatica  Estremità Rotante A/P con valvola antigoccia automatica  Estremità Rigida B/P  Estremità Rigida 90 mm B/P  Estremità Rigida HF con valvola	Versions Red, Green, Yellow, Blue colour available  Spouts for Easy Oil nozzle  Rigid Spout A/P with automatic anti-drip valve  Flexible Spout A/P with automatic anti-drip valve  Rotating Spout A/P with automatic anti-drip valve  Rigid Spout B/P  Rigid Spout B/P  Rigid Spout B/P  Flexible Spout B/P  Rigid Spout B/P		25,60 33,52 16,85 15,23 22,92
	F00665000 F00666000 000669000 F0067000A F0067002A F0067100A 000934000	Disponibili colori: Rosso, Verde, Giallo, Blu  Estremità per pistole Easyoil  Estremità Rigida A/P con valvola antigoccia automatica  Estremità Flessibile A/P con valvola antigoccia automatica  Estremità Rotante A/P con valvola antigoccia automatica  Estremità Rigida B/P  Estremità Rigida 90 mm B/P  Estremità Flessibile B/P  Estremità Rigida HF con valvola antigoccia manuale	Versions Red, Green, Yellow, Blue colour available  Spouts for Easy Oil nozzle  Rigid Spout A/P with automatic anti-drip valve  Flexible Spout A/P with automatic anti-drip valve  Rotating Spout A/P with automatic anti-drip valve  Rigid Spout B/P		25,60 33,52 16,85 15,23 22,92 35,51
	F00665000 F00666000 000669000 F0067000A F0067002A F0067100A 000934000	Estremità per pistole Easyoil Estremità Rigida A/P con valvola antigoccia automatica Estremità Rotante A/P con valvola antigoccia automatica Estremità Rotante A/P con valvola antigoccia automatica Estremità Rotante A/P con valvola antigoccia automatica Estremità Rigida B/P Estremità Rigida 90 mm B/P Estremità Rigida HF con valvola antigoccia manuale Estremità Rigida HF con valvola	Versions Red, Green, Yellow, Blue colour available  Spouts for Easy Oil nozzle  Rigid Spout A/P with automatic anti-drip valve  Flexible Spout A/P with automatic anti-drip valve  Rotating Spout A/P with automatic anti-drip valve  Rigid Spout B/P  Rigid Spout B/P  Rigid Spout B/P  Rigid Spout B/P  Flexible Spout B/P  Rigid Spout HF with manual anti-drip valve  Flexible Spout HF with manual anti-drip valve		25,60 33,52 16,85 15,23 22,92 35,51
	F00665000 F00666000 000669000 F0067000A F0067002A F0067100A 000934000 000935000	Disponibili colori: Rosso, Verde, Giallo, Blu  Estremità per pistole Easyoil  Estremità Rigida A/P con valvola antigoccia automatica  Estremità Flessibile A/P con valvola antigoccia automatica  Estremità Rotante A/P con valvola antigoccia automatica  Estremità Rigida B/P  Estremità Rigida 90 mm B/P  Estremità Flessibile B/P  Estremità Rigida HF con valvola antigoccia manuale  Estremità Flessibile HF con valvola antigoccia manuale	Versions Red, Green, Yellow, Blue colour available  Spouts for Easy Oil nozzle  Rigid Spout A/P with automatic anti-drip valve  Flexible Spout A/P with automatic anti-drip valve  Rotating Spout A/P with automatic anti-drip valve  Rigid Spout B/P  Rigid Spout B/P  Rigid Spout B/P  Rigid Spout HF with manual anti-drip valve  Flexible Spout HF with manual anti-drip valve  Flexible Spout HF with manual anti-drip valve		25,60 33,52 16,85 15,23 22,92 35,51 41,23
	F00665000 F00666000 000669000 F0067000A F0067002A F0067100A 000934000 000935000	Disponibili colori: Rosso, Verde, Giallo, Blu  Estremità per pistole Easyoil  Estremità Rigida A/P con valvola antigoccia automatica  Estremità Flessibile A/P con valvola antigoccia automatica  Estremità Rotante A/P con valvola antigoccia automatica  Estremità Rigida B/P  Estremità Rigida 90 mm B/P  Estremità Rigida HF con valvola antigoccia manuale  Estremità Flessibile HF con valvola antigoccia manuale  Estremità Rigida LF con valvola antigoccia manuale  Estremità Rigida LF con valvola antigoccia manuale	Versions Red, Green, Yellow, Blue colour available  Spouts for Easy Oil nozzle  Rigid Spout A/P with automatic anti-drip valve  Flexible Spout A/P with automatic anti-drip valve  Rotating Spout A/P with automatic anti-drip valve  Rigid Spout B/P  Rigid Spout B/P  Rigid Spout B/P  Rigid Spout HF with manual anti-drip valve  Flexible Spout HF with manual anti-drip valve  Flexible Spout HF with manual anti-drip valve		25,60 33,52 16,85 15,23 22,92 35,51 41,23

### 

# Dotazioni

• Art. F0050000B Carrello, elettropompa, interruttore on/off, serbatoio asportabile, mt.2 tubo aspirazione, completo di n° 6 sonde, cavo elettrico di alimentazione mt. 5.

# **Equipments:**

• Art. F0050000B Trolley, Pump, on/off switch, removable tank, mt. 2 suction hose, completed by n° 6 probes, mt. 5 electrical cable.

Vacubox						
	New	F00500B00	Vacubox	Vacubox	230/50	630,00
			Accessori	Accessories		
		R08308000	Kit Tubo Aspirazione con Valvola	Kit Suction Hose with Valve		21,35
		R08309000	Kit Sonde	Kit Probes		50,56
		R12737000	Kit Staffe a Muro	Kit Wall Support		33,71

# Dotazioni:

• Art. F00500B00 Struttura autoportante in lamiera con trattamento anticorrosione, pompa autoadescante, vacuometro per controllo delle operazioni di aspirazione, segnalatore acustico di fine operazioni, ingresso 1/2" BSP, uscita 1/2".

# Equipments:

• Årt. F00500B00 Self supporting plate structure paint finished with anticorrosion treatment, self priming pump, vacuum meter to verify pump working, acoustic device at the end of operation, Inlet 1/2" BSP, Outlet 1/2" BSP.



	Cod.	Modello	Model	Volt/Hz	Euro
Depuroil - Filtroll di	iesel/oil				
	00050300A	Depuroil unità di filtraggio e travaso Olio	Depuroil filtering and transfer Oil unit	230/50	528,54



New	F00506000	Filtroll gasolio	Filtroll gasoil	230/50	890,00
New	F00506010	Filtroll olio/gasolio	Filtroll oil/gasoil	230/50	1010,00
New	F0050606A	Filtroll 12V gasolio	Filtroll 12V gasoil	12V	890,00
		-			

# • Art. 00050300A

Carrello, elettropompa Viscomat 70 con interruttore on/off, filtro con cartuccia, cartuccia di ricambio, indicatore di intasamento, tubo aspirazione mt. 2 completo di lancia.

### • Art. F00506000

Carrello, elettropompa Panther 56, filtro clear captor con cartuccia, filtro water captor, manometro, tubo aspirazione mt 3 con valvola di fondo, tubo di mandata mt 4 con pistola manuale, cavo elettrico di alimentazione mt. 5.

### • Art. F00506010

Carrello, elettropompa Viscomat 70, filtro clear captor con cartuccia, filtro water captor, manometro, tubo aspirazione mt 3 completo di lancia, tubo di mandata mt 3 completo di lancia, cavo elettrico di alimentazione mt. 5.

### • Art. F0050606A

Carrello, elettropompa Panther DC 12V con 6 mt cavo+pinze, filtro clear captor con cartuccia, filtro water captor, manometro, tubo aspirazione 3 mt con valvola di fondo, tubo mandata 4 mt con pistola manuale.

### **Equipments:**

### • Art. 00050300A

Trolley, Viscomat 70 Pump, filter with cartridge + a spare cartridge, optical device, mt. 2 suction hose with lance.

# • Art. F00506000

Trolley, electropump Panther 56, water captor filter with cartridge, clear captor filter, optical device, 3 mt suction hose with valve, 4 mt delivery hose with manual nozzle, mt. 5 electrical cable.

# • Art. F00506010

Trolley, electropump Viscomat 70, water captor filter with cartridge, clear captor filter, optical device, 3 mt suction hose with lance, 3 mt delivery hose with lance, mt. 5 electrical cable.

### • Art. F0050606A

Trolley,electropump Panther DC 12V with 6 mt cable+pliers, water captor filter with cartridge, clear captor filter, optical device, 3 mt suction hose with valve, 4 mt delivery hose with manual nozzle.

Access 85						
	New	F00702000	ACCESS 85	ACCESS 85	230/50	160,00
			Centralina di comando pompa	Pump control box		
- 1 V ACCAMA 60- O		F00702010	ACCESS 85 con chiavi	ACCESS 85 with keys	230/50	220,00
			Accessori	Accessories		
		R15904000	Kit n° 10 chiavi utente colore giallo	Kit nr. 10 users keys yellow color		117,98
		R12496000	Chiavi gestore colore rosso	Manager key red color		53,10
	New	F17121000	Sonda di livello	Level probe		65,00

# Dotazioni:

• Art. F00702010

Access 85 con 4 user keys già configurate.

# **Equipments:**

• Art. F00702010

Access 85 with 4 user keys just configured.



	Cod.	Modello	Model	Volt/Hz	Euro
Ocio					
Ocio	F0075510D	Ocio indicatore di livello RS OUT fino a 30 CsT	Ocio Level indicator RS OUT up to 30 CsT	230/50	328,60
		Accessori	Accessories		
	F12939000	Kit per Olio -NW-	Kit pipe for Oil		32,70
Ocio Desk	F00755S1A	Ocio Desk SingleTank (PC interfaccia + software* per 1 serbatoio)	Ocio Desk SingleTank (PC interface + software* for 1 tank)		424,00
LITTE .	F00755S0C	Ocio Desk MultiTank 4 (PC interfaccia + software* per 4 serbatoi)	Ocio Desk MultiTank 4 (PC interface + software* for 4 tanks)		742,00
	F00755S2A	Ocio Desk MultiTank 8 (PC interfaccia + software* per 8 serbatoi)	Ocio Desk MultiTank 8 (PC interface + software* for 8 tanks)		980,50
	F00755S3A	Ocio Desk MultiTank 12 (PC interfaccia + software* per 12 serbatoi)	Ocio Desk MultiTank 12 (PC interface + software* for 12 tanks)		1.219,00
Ocio GSM	F00755G30	Ocio GSM Quad band	Ocio GSM Quad band		1.007,00
OCIO SIM	F00755G20	Espansione Ocio GSM da 2 a 4 serbatoi	Expansion Ocio GSM tanks 2 - 4		212,00
	F00755G40	Espansione Ocio GSM da 5 a 8 serbatoi	Expansion Ocio GSM tanks 5 - 8		318,00
- 8					

• Art. F0075510D

Sistema di monitoraggio del livello, con RS out, tubo 10 m e diam. 5 mm, con terminale in ottone.

# **Equipments:**

• Art. F0075510D

Level control system with RS out 10m. hose diam. 5mm and brass bottom weight.

	•	Arrotolatori senza tubo	Hose reels without hose		
Ne	w F007500	Arrotolatore per tubo 3/4in (max 8 mt) Sma	Hose reel for hose 3/4in (max 8 mt) Small	(*)	270,00
Ne	w F007500	Arrotolatore per tubo 3/4in (max 14 mt) Big	Hose reel for hose 3/4in (max 14 mt) Big		343,00
Ne	w F007500	Arrotolatore per tubo 1in (max 10 mt) Big	Hose reel for hose1in (max 10 mt) Big		361,00
		Arrotolatori con tubo	Hose reels with hose		
Ne	w F007500	Arrotolatore con 8 mt tubo 3/4in Small	Hose reel with 8 mt hose 3/4in Small	( * )	367,00
Ne	w F007500	Arrotolatore con 10 mt tubo 3/4in Big	Hose reel with 10 mt hose 3/4in Big		448,00
Ne	w F00750	Arrotolatore con 14 mt tubo 3/4in Big	Hose reel with 14 mt hose 3/4in Big		472,00
Ne	w F007500	Arrotolatore con 8 mt tubo 1in Big	Hose reel with 8 mt hose 1in Big		479,00
A /	w F007500	Arrotolatore con 10 mt tubo 1in Big	Hose reel with 10 mt hose 1in Big		498,00
Ne	W   FUU15U	Anoloialore con 10 mil lubo mil big	Those reel with to thit hose till big		100,00
Ne	W   F007500	Anotolatore con 10 mt tubo nin big	Those reel with 10 mithose fill big	1	100,00
Ne	W   F007500	Accessori	Accessories		100,00
Ne		Accessori	,		29,50
	w F162790	Accessori O0 Supporto girevole arrotolatore Big	Accessories		
Ne	w F162790	Accessori  Supporto girevole arrotolatore Big  Staffa fissa arrotolatore Big	Accessories Rotating support plate Big Fix support plate Big Rotating support plate	(*)	29,50
Ne Ne	w F162790	Accessori  Supporto girevole arrotolatore Big  Staffa fissa arrotolatore Big	Accessories Rotating support plate Big Fix support plate Big	(*)	29,50 14,80
Ne Ne	w F162790 w F162980 w F173170	Accessori  Supporto girevole arrotolatore Big  Staffa fissa arrotolatore Big  Supporto girevole arrotolatore F00750080 + F00750090 Small  Staffa fissa arrotolatore	Accessories Rotating support plate Big Fix support plate Big Rotating support plate F00750080 + F00750090 Small Fix support plate	(*)	29,50 14,80
Nei Nei Nei	w F162790 w F162980 w F173170	Accessori  Supporto girevole arrotolatore Big  Staffa fissa arrotolatore Big  Supporto girevole arrotolatore F00750080 + F00750090 Small	Accessories Rotating support plate Big Fix support plate Big Rotating support plate F00750080 + F00750090 Small		29,50 14,80 29,50
Net Net	w F162790 w F162980 w F173170 w F173160	Accessori Supporto girevole arrotolatore Big Staffa fissa arrotolatore Big Supporto girevole arrotolatore F00750080 + F00750090 Small Staffa fissa arrotolatore F0075000 + F00750090 Small	Accessories Rotating support plate Big Fix support plate Big Rotating support plate F00750080 + F00750090 Small Fix support plate		29,50 14,80 29,50

<sup>\*</sup> Small Hosereel

<sup>\*</sup> Programma ceduto in licenza d'uso regolamentata dal relativo contratto e delle norme sulla repressione della pirateria informatica (vedi condizioni generali di vendita, sezione licenza d'uso).

<sup>\*</sup> Program given out exclusively by means of the user licence to be used in accordance with the relevant agreement and informatic anti-piracy regulations (see general sales conditions section software license).



		Cod.	Modello	Model	Volt/Hz	Eur
- Hoses				7: 16 11	1	
			Tubi Gasolio	Diesel fuel hose		100.0
		F0060502A	Tubo gasolio gomma Ø 3/4"	Rubber hose Ø 3/4"		438,0
			(19x27mm) 80 mt	(19x27mm) 80 mt		
		F0060602A	Tubo gasolio gomma Ø 1"	Rubber hose Ø 1"		341,0
			(25x35mm) 40 mt	(25x35mm) 40 mt		
			Tubi aspirazione	Suction hoses		
		F1113100A	Tubo PVC diam. 25 trasparente (30 mt)	PVC suction hose D. 25 (30 mt)		162,8
		F1113200A	Tubo PVC Trasparente diam. 25	PVC suction hose D. 25		42,7
The same of the sa			1,6 mt con valvola di fondo	1,6 mt with foot valve		
The second secon		F12120000	Tubo Plutone PH diam. 25 1mt spiralato	Plutone suction hose PH diam. 25 1mt		18,
- Control of the Cont		F16404000	Kit aspirazione PVC 4 mt + valvola fondo	Kit suction hose PVC 4 mt + foot valve		68,
			Tubo estensibile	Extensible pipe	1	
		F08934000	Tubo estensibile in plastica 110 cm	Plastic telescopic suction pipe 110 cm		7,0
		F0093 <del>4</del> 000	Tubo esterisibile in plastica 110 cm	Plastic telescopic suction pipe 110 cm		7,0
			Tubo estensibile acciaio	Steel extensible pipe		
		F08934010	Kit tubo estend. acciaio 1" BSP (180 cm) + attacco Drum 2" BSP con valvola	Kit steel telescopic hose 1" BSP (180 cm) + 2" BSP Drum connector		90,0
		F08934020	Tubo estensibile acciaio 1" BSP (110 cm)	Steel telescopic hose 1" BSP (110 cm)		17,
10	1		Tubi raccordati	Crimped hoses		
		F08976000	Tubo Gasolio diam, 20 mt. 4	Rubber hose D. 20 4 mt		36,
		F00970000	raccordato 1in x 1in	crimped 1 in x 1 in		30,
		F00077000				F4 (
	No.	F08977000	Tubo Gasolio diam. 25 mt. 4	Rubber hose D.25 4 mt		51,0
E C		F0004F000	raccordato 1in x 1in	crimped 1in x 1in		47.5
•		F08945000	Tubo Gasolio diam. 20 mt. 6	Rubber hose D.20 6 mt		47,5
		<b>E</b> 00050000	raccordato 1in x 1in	crimped 1in x 1in		00.4
		F08858000	Tubo Gasolio diam. 25 mt. 6	Rubber hose D.25 6 mt		68,1
			raccordato 1in x 1in	crimped 1in x 1in		
ettori - Conn	nectors					
_			Kit attacco rapido	Quick coupling		
		R08930000	Kit attacco rapido 2in x 1in	Kit quick coupling 2in x 1in		24,3
		R09160000	Kit attacco rapido 2in x 3/4in	Kit quick coupling 2in x 3/4in		24,
			Attacchi Drum	Drum connectors		
	New	F17163000	Attacco 2" BSP Drum con Valvola	2" BSP Drum connector with Valve		38,
786	New	F17190000	Attacco 2" BSP Drum senza Valvola	2" BSP Drum connector without Valve		29,0
	New	F17163010	Attacco 2" BSP con Valvola + Flangia	2" BSP Drum connector + valve, Flanged		46,
			Raccordo rapido per tubo	Hose quick coupling		
	New	F00636000	Attacco 2" BSP Drum con Valvola	Hose quick coupling 1in GAS		45,0
100						
B						
			Sigillanti	Sealant paste		
		F08173000	Sigillanti Teflon liquido	Sealant paste		22.1
		F08173000	Teflon liquido	Liquid teflon		22,5
		F08173000 F10767000 F12278000	-	<u> </u>		22,5 46,0 46,0



	Cod.	Modello	Model	Volt/Hz	Euro
Filtri - Filters					
_		Filtri separazione acqua WATER CAPTOR	Water cartridge filter WATER CAPTOR		
	F00611A00	Filtro Water Captor 70 I/min (2 cartucce)	Filter Water Captor 70 I\min (2 cartridges)		88,00
dipur	F00611A10	Filtro Water Captor 150 I/min (1 cartuccia)	Filter Water Captor 150 I\min (1 cartridge)		109,00
TOW MIEN					
The state of the s	F00611010	Cartuccia Water Captor 70 I/min (12 pz)	Cartridge Water Captor 70 I\min (12 pcs)		407,40
	F00611020	Cartuccia Water Captor 150 I/min (6 pz)	Cartridge Water Captor 150 I\min (6 pcs)		508,86
	F14640000	Testata filtro 1 in x 1 in UNF 70 I/min	Filter head 1in x 1in UNF 70 I/min		13,00
	F15743000	Testata filtro 150 l/min	Filter head 150 l/min		23,90
		I=	Te. 4	1	
Г		Filtri Biofuel	Biofuel filter		
	F00611C00	Filtro Biofuel 70 I/min (2 cartucce)	Biofuel filter 70 l\min (2 cartridges)		137,00
dipu	F00611C10	Filtro Biofuel 150 I/min (1 cartuccia)	Biofuel filter 100 l\min (1 cartridge)		160,00
dour of Maria	D14064000	Cartuccia Biofuel 70 I/min	Cortridge Diefuel 70 Umin		04.00
N. C.	R14861000 R14862000	Cartuccia Biofuel 70 I/min	Cartridge Biofuel 70 I/min Cartridge Biofuel 100 I/min		94,00
	F14640000	Testata filtro 1in x 1in UNF 70 I/min	Filter head 1 in x 1 in unf 70 l/min		134,00
}	F15743000	Testata filtro 100 l/min	Filter head 100 l/min		23,90
-	1 137 43000	Testata IIIITO TOO VITIIIT	Three head 100 l/min		20,90
		Filtri gasolio e olio	Oil and fuel filter		
Alexandra (	F0777200A	Filtro 70 I/min 10µm con testata 1in BSP	Filter 70 I/min 10µm with head 1in BSP		29,50
	F0914900A	Filtro 100 I/min 10µm con testata 1in BSP	Filter 100 I/min 10µm with head 1in BSP		61,00
EIL OILS FUEL FI	F09149020	Filtro 100 l/min 5µm con testata 1in BSP	Filter 100 I/min 5µm with head 1in BSP		67,00
100	1 00 1 10020	This is the first opin controlled in Dev		1	01,00
	F00611000	Cartuccia 10 micron filtro 70 l/min	Cartridge 10 micron filter 70 l/min		16,50
	F09359000	Cartuccia 10 micron filtro 100 l/min	Cartridge 10 micron filter 100 l/min		33,60
	F09359010	Cartuccia 5 micron filtro 100 l/min	Cartridge 5 micron filter 100 l/min		43,00
	F14528000	Testata filtro 1in x 1in 3/4 BSP 70 I/min	Filter head 1in x 1in 3/4 BSP I/min		13,00
	F15743000	Testata filtro 100 l/min	Filter head 100 l/min		23,90
Ī					,
		Filtri CLEAR CAPTOR	CLEAR CAPTOR filters:		
		filtri a cartuccia con contenitore	Cartridge filters with transparent		
		trasparente	container		
Ser.	F00611B00	Filtro Clear Captor 5 micron (2 cartucce)	Clear captor filter 5 micron (2 cartridges)		95,00
	F00611B10	Filtro Clear Captor separazione acqua	Clear captor filter water absorbing		119,00
1		(2 cartucce)	(2 cartridges)		
	F00044000	Contugaio Clary Contag F value (Cont	Contrider clear contex 5 miles (0 miles		400.00
	F00611030	Cartuacia Clear Captor 5 micron (6 pz)	Cartridge clear captor 5 micron (6 pcs)		109,00
	F00611040	Cartuccia Clear Captor separazione acqua (6 pz)	Cartridge clear captor water absorbing (6 pcs)		178,50
•		ασφαά (σ ρ2)	[(e pee)		
ŀ	F15744000	Testata filtro Clear Captor	Filter head clear captor		23,40
	1 101 11000	Troctata intro Great Captor	The read of the capter		_0,.0
1		Filtro di linea	Line filter		
	F08950000	Filtro di linea 1.1 F/F flangiato	Line filter 1.1 F/F flanged		16,85
		,	,		
'		Filtri di fondo	Foot filter		
	F10571000	Filtro per valvola 3/4in BSP	Filter for foot valve 3/4in BSP		2,19
	F07979000	Filtro per valvola 1in BSP	Filter for foot valve 1in BSP		2,42



	Cod.	Modello	Model	Volt/Hz   Euro
ollegamenti - F	ittings	Bassala was KOA saasiis	On that face KOA discrete and and	
	New F17126000	Boccole per K24 gasolio  Manicotto 1in BSP (kit nr. 20 pezzi)	Socket for K24 diesel version Socket 1in BSP (kit nr. 20 pcs)	78,0
		Gomiti	Elbows	
	F07805000		Elbow M/F 3/4in BSP	3,2
11	F07806000		Elbow F/F 3/4in BSP	3,1
	F07988000		Elbow M/F 1in BSP Nickeled brass	8,6
	F08609000	Gomito F/F 1in BSP ottone nichelato	Elbow F/F 1in BSP Nickeled brass	9,5
		Portagomma	Hosetails	
	F0643700A		Hosetail 3/4in x 20 (kit nr. 20 pcs)	73,7
2	F0775700A		Hosetail 1in x 20 (kit nr. 20 pcs)	71,5
	F0776400A		Hosetail 1in x 25 (kit nr. 20 pcs)	85,0
	F0776800E		Hosetail 3/4in x 25 (kit nr. 20 pcs)	77,0
	F0826700A	1 7	Hosetail 1/2in x 20	2,9
		Minutes	Nimalaa	
The same of the sa	F0770F000	Nipples Vite depois M/M Lin v Lin	Nipples Nipple M/M tip v tip	
Miller	F07765000	1.	Nipple M/M 1 in x 1 in	3,3
THE .	F07766000	Vite doppia M/M 3/4in x 3/4in	Nipple M/M 3/4in x 3/4in	2,13
		Riduzioni	Reducing sockets	
	F07441000	Riduzione M/F 3/4 in x 1/2in	Reducing socket M/F 3/4in x 1/2in	2,4
lu o	F07760000	Riduzione M/F 1in x 3/4in	Reducing socket M/F 1in x 3/4in	3,6
THE TOTAL STREET	F07762000	Riduzione M/M 1in x 3/4in	Reducing socket M/M 1in x 3/4in	4,6
China .	F07889000	Riduzione M/F 3/4in x 1in	Reducing socket M/F 3/4in x 1in	5,6
	F08913000	Riduzione M/M 1in x 1 1/2in	Reducing socket M/M 1in x 1 1/2in	7,3
		Valvole di fondo	Foot valves	
п	F00609000	Valvola di fondo diam. 25 con filtro di	Foot valve Diam. 25 with filter built-in	19,4
	F00612000	sovrapressione  Valvola di fondo diam. 20 con filtro di	safety Foot valve Diam. 20 with filter built-in	19,4
		sovrapressione	safety	
	F15749000	Valvola di linea completa 1 in (Kit nr. 12 pezzi) con valvola di sovrapressione	In-line foot valve 1in (Kit nr. 12 pcs) with built-in safety valve	132,0
<b>4</b>	F07978000	Valvola di ritegno 1in	Foot valve 1in	13,0
	F08153000	-	Foot valve 3/4in	7,6
	F09170000		Foot valve 1 in with built-in safety valve	14,0
		I	Tee -	
1907	<b>-</b>	Valvole Vantage	Vantage valve	
7	F1239905A	9 \ 1 /	Vantage valve 1in BSP (kit nr. 12 pezzi)	314,0
	F1239908A	Valvola Vantage 3\4in BSP (kit nr. 12 pezzi)	Vantage valve 3/4in BSP (kit nr. 12 pezzi)	314,0
		Swivels	Rotating hose connectors	
_	000623000	Swivel 34.1 MM	Swivel 34.1 MM	16,0
	00062400A	Swivel 34.34 MF	Swivel 34.34 MF	16,0
Des.	F0062000A	Swivel 34.1 MF	Swivel 34.1 MF	16,0
49	F0062200A		Swivel 1.1 MF	16,0
	F0845600A	Swivel 12.12 MF	Swivel 12.12 MF	7,3
	F14567000	Swivel 90° 1" M/F	Swivel 90° 1" M/F	20,2
n n		Accessori	Accessories	
	R11806000		Accessories Kit Nozzle Holder	20,8



	Cod.	Modello	Model	Volt/Hz   <b>Euro</b>
Connessioni Flangi	ate - Flanged conne	ections		
	R12229000	Tubo flangiato 130 mm	Flanged tube 130 mm	37,08
	R1222800A	Tubo flangiato 300 mm	Flanged tube 300 mm	40,45
939	R12172000	Tubo flangiato 341 mm	Flanged tube 341 mm	40,79
499	R13251000	Tubo flangiato 205 mm	Flanged tube 205 mm	38,09
4	R13250000	Tubo flangiato 90°	Flanged tube 90°	36,74
	R10824000	Kit collettore flangiato	Kit flanged elbow	10,11

Dumbox				
	F0091600A	Caraffa in polietilene - 1 It	Oil container - 1 It	5,10
		(nr. 48 pz per scatola)	(nr. 48 pcs for box)	
	F00917000	Caraffa in polietilene - 2 It	Oil container - 2 lt	5,60
		(nr. 24 pz per scatola)	(nr. 24 pcs for box)	
	F00920000	Caraffa in polietilene - 5 lt	Oil container - 5 It	9,60
		(nr. 24 pz per scatola)	(nr. 24 pcs for box)	
	F0093000A	Imbuto diam. 180 mm	Funnel 180 mm	6,35
		(nr. 24 pz per scatola)	(nr. 24 pcs for box)	
	F0093100A	Imbuto diam. 220 mm	Funnel 220 mm	7,15
		(nr. 50 pz per scatola)	(nr. 50 pcs for box)	



		Cod.	Modello	Model	Volt/Hz	Euro
Soluzioni per URE	A - URE	EA solutions				
			Erogatori	Dispensers		
	New	F00201C90	SuzzaraBlue PRO + SB 32*	SuzzaraBlue PRO + SB 32*	230/50	892,20
		F00201B1A	SuzzaraBlue PRO *	SuzzaraBlue PRO *	230/50	886,00
		F00201B2A	SuzzaraBlue BASIC *	SuzzaraBlue BASIC *	230/50	548,00
	New	F00201A80	SuzzaraBlue 12V PRO	SuzzaraBlue 12V PRO	12	886,00
	New	F00201A90	SuzzaraBlue 12V BASIC	SuzzaraBlue 12V BASIC	12	548,00
			* Disponibili versioni con tubo esterno	* Version with external suction hose available		
		F0020196A	SuzzaraBlue BOX K24	SuzzaraBlue BOX K24	230/50	1.040,00
<b>5</b> 2	New	F00201AA0	SuzzaraBlue Kit 12V	SuzzaraBlue Kit 12V	12V	378,00
> = = = = = = = = = = = = = = = = = = =						
	New	F00201C70	SuzzaraBlue Kit 230V	SuzzaraBlue Kit 230V	230V	378,00
1		F0020135C	SuzzaraBlue DRUM	SuzzaraBlue DRUM	230/50	530,00

- Art. F00201B1A Lamiera inox di supporto con portapistola. Elettropompa. Gruppo contalitri K24. Pistola automatica inox. Tubo mandata 6 m. Tubo di aspiraz. 1,5 m. Portagomma e fascette. Connett. SEC
- Art. F00201B2A Lamiera inox di supporto. Elettropompa. Pistola manuale. Tubo di mandata 6 m. Tubo di aspirazione 1,1 m. Portagomma e fascette. Connettore SEC
- Art. F00201A80 Lamiera inox di supporto con portapistola. Elettropompa 12V con cavo 2 mt+pinze. Gruppo contalitri K24. Pistola aut. inox. Tubo mandata 6 m. Tubo aspiraz. 1,5 m. Portagomma e fascette.
- Art. F00201A90 Lamiera inox di supporto. Elettropompa 12V con cavo 2 mt+pinze. Pistola manuale. Tubo di mandata 6 m. Tubo di aspirazione 1,1 m. Portagomma e fascette
- Art. F0020196A Struttura metallica con portello anteriore munito di serratura, pompa a membrana, gruppo contalitri K24, pistola automatica inox, tubo mandata 6 mt.
- Art. F00201AA0 Elettropompa 12V completa di maniglia e cavo 2 mt con pinze. Pistola manuale. Tubo di mandata 6 m. Tubo di aspirazione 1,5 m con valvola di fondo. Portagomma e fascette.
- Art. F0020135C Lamiera inox di supporto per fusto, elettropompa, pistola manuale, tubo di mandata (4 m), tubo di aspirazione.
- Art. F00201AA0 + F00201C70 Elettropompa, pistola manuale, tubo di mandata (6 m), tubo di aspirazione in pvc 1,5 m con valvola di fondo.
   Pompe UREA

### Equipments

- Art. F00201B1A Stainless steel base with nozzle holder. Heavy duty membrana pump. Meter K24. Automatic stainless steel nozzle. Delivery hose 6 m. Suction hose 1,5 m. Hose tail and clamps. SEC coupling.
- Art. F00201B2A Stainless steel base. Heavy duty membrane pump.
   Manual nozzle. Delivery hose 6 m. Suction hose 1,1 m. Hose tail and clamps.
   SEC coupling.
- Art. F00201A80 Stainless steel base with nozzle holder. Heavy duty membrana pump 12V w/cable 2mt with pliers. Meter K24. Automatic stainless steel nozzle. Delivery hose 6 m. Suction hose 1,5 m. Hose tail and clamps.
- Art. F00201A90 Stainless steel base. Heavy duty membrana pump 12V w/cable 2mt with pliers. Manual nozzle. Delivery hose 6 m. Suction hose 1,1 m. Hose tail and clamps.
- Art. F0020196A Metal bocx with lit lock, membrane pump, K 24 meter, automatic inox nozzle. Delivery hose 6 mt.
- Art. F00201AA0 Heavy duty membrane pump 12V equipped with handle and cable 2mt with pliers. Manual nozzle. Delivery hose 6 m. Suction hose 1,5 m with foot valve. Hose tail and clamps.
- Art. F0020135C Stainless steel base for drum, pump, manual nozzle, delivery hose (4 m), suction hose.
- Art. F00201AA0 + F00201C70 Membrane pump, delivery hose 6 m, suction hose 1,5 m pvc with foot valve, manual nozzle.



		F0020301A	Pompa a membrana AC	Membrane pump AC	230/50	250,00
ď	New	F00204000	Pompa a membrana DC 12V	Membrane pump DC 12V	12V	250,00
	New	F00204010	Pompa a membrana DC 24V	Membrane pump DC 24V	24V	250,00
			Pompe a mano	Hand pumps		
		F0033205A	Pompa a mano Rotativa UREA	Rotative handpump UREA		61,48
		F0033208A	Pompa a mano Rotativa UREA con tubo	Rotative handpump UREA with hose		97,52
	New	F00332090	Pompa a mano a Pistone a leva con tubo	Piston lever handpump with dip tube		51,00
			aspirazione			
	New	F00332100	Pompa a mano a Pistone a leva con tubo	Piston lever handpump with dip tube and		80,00
			aspirazione/mandata	delivery hose		
_						

# Dotazioni:

 Art. F0033205A - Pompa manuale senza adattatori e senza tubo di mandata

F15517000 | SuzzaraBlue Gravity Kit

- Art. F0033208A Pompa manuale con 3 metri di tubo mandata e spout inox, adattatori per fusto Mauser/Greif.
- Art. F00332090 Pompa manuale a leva a pistone con tubo telescopico in aspirazione
- Art. F00332100 Pompa manuale a leva a pistone con tubo telescopico in aspirazione, tubo mandata e adattatori per fusto Mauser/Greif.
- Art. F15517000 Pistola manuale, tubo 3 mt e adattatore IBC.

# Equipments:

SuzzaraBlue Gravity Kit

Heavy duty pumps

 Art. F0033205A - Hand Pump without adapters and without delivery hose.

111,30

- Art. F0033208A Hand Pump with mt 3 delivery hose and spout stainless steel, adapters for Mauser/Greif tank.
- Art. F00332090 Piston Lever Hand Pump with dip tube
- Art. F00332100 Piston Lever Hand Pump with dip tube, delivery hose and adapters for Mauser/Greif Tank.
- Art. F15517000 Manual nozzle, delivery hose 3 mt and IBC adapter.



		Cod.	Modello	Model	Volt/Hz	Euro
Soluzioni per URE/	A - URE	A solutions				
	Contalitri Meters					
0000		F0040710A	K24 contalitri a turbina M\MF 1in GAS	K24 turbine meter M\MF 1in GAS UREA		143,10
99			UREA			
		,				
	New	F00618010	Pistola automatica SB32 (con contalitri)	Automatic nozzle SB32 (with meter)		410,00
	New	F00618M10	Pistola automatica SB32 (con contalitri)	Automatic nozzle SB32 (with meter)		480,00
			con magnete	with magnet		
			Contalitri pulser	Pulse meters	ļ.,	
		F0040721B	K24 contalitri pulser M\MF 1in BSP UREA	K24 pulser M\MF 1in BSP UREA		106,00
and the co		F0042000A	Turbinox in-line pulser 1in x 1in	Turbinox in-line pulser 1in x 1in		185,50
annin,		F0049503B	Display remoto con emettitore di impulsi	Remote display with puls out 100 p/l		243,80
			100 p/l	UREA		

			Pistole	Nozzles	
15		F14761000	Pistola manuale con portagomma	Manual nozzle w/hosetail	48,31
And the second					·
		F0061903B	Pistola automatica A60 inox con swivel	Automatic nozzle A60 s. steel with swivel	243,80
	New	F00618000	Pistola automatica SB32	Automatic nozzle SB32	050.00
	New	F00010000	PISIOIA AUTOMATICA SB32	Automatic nozzie SB32	250,00
-					
	New	F00618M20	Pistola automatica SB32 con magnete	Automatic nozzle SB32 with magnet	320,00
	New	F15165000	Sistema protezione dagli errori di riforni- mento	Misfuelling device	31,00

		Sistemi di controllo	Control system		
		MC box	MC box		
	F1398006A	Kit MC box UREA 120 utenti	Kit MC box UREA 120 users	230/50	1.315,67
	F14144040	Kit software* + Chiavi magnetiche +	Kit software* + Keys + USB adaptor		471,91
120.01		Adattatore USB			
1	F1271000C	Kit software* + Convertitore USB	USB Converter + Software*		470,23
мсвох	R15904000	Kit N° 10 chiavi utente colore Giallo	Kit N° 10 User Keys color Yellow		117,98
	R12496000	Chiave gestore colore Rosso	Manager Key color Red		53,10
	R09278000	Convertitore RS 232/485 con Adattatore	RS 232/485 Converter with adaptor		224,16
	F14770000	Stampante seriale	Serial printer		922,20
		Ocio	Ocio		
	F00755140	Indicatore di livello RS out UREA	Level indicator RS out UREA	230/50	381,60
	F00755S1A	Ocio Desk Singletank (PC interfaccia +	Ocio Desk Singletank (PC interface +		424,00
		software* per 1 serbatoio)	software* for 1 tank)		
	F00755S0C	Ocio Desk Multitank 4 (PC interfaccia +	Ocio Desk Multitank 4 (PC interface +		742,00
		software* per 4 serbatoi)	software* for 4 tanks)		
	F00755S2A	Ocio Desk Multitank 8 (PC interfaccia +	Ocio Desk Multitank 8 (PC interface +		980,50
		software* per 8 serbatoi)	software* for 8 tanks)		
	F00755S3A	Ocio Desk Multitank 12 (PC interfaccia +	Ocio Desk Multitank 12 (PC interface +		1.219,00
		software* per 12 serbatoi)	software* for 12 tanks)		
	F00755G30	Ocio GSM Quad Band	Ocio GSM Quad Band		1.007,00
	F00755G20	Espansione Ocio GSM da 2 A 4 serbatoi	Expansion Ocio GSM tanks 2 - 4		212,00
	F00755G40	Espansione Ocio GSM da 5 A 8 serbatoi	Expansion Ocio GSM tanks 5 - 8		318,00

<sup>\*</sup> Programma ceduto in licenza d'uso regolamentata dal relativo contratto e delle norme sulla repressione della pirateria informatica (vedi condizioni generali di vendita, sezione licenza d'uso).

<sup>\*</sup> Program given out exclusively by means of the user licence to be used in accordance with the relevant agreement and informatic anti-piracy regulations (see general sales conditions section software license).



	Cod.	Modello	Model	Volt/Hz Euro
ni per UREA - <i>U</i>	JREA solutions			
		Arrotolatori senza tubo	Hose Reels without hose	
	F00750060	Arrotolatore per UREA Small	UREA hose reel (without hose)	300,00
		Arrotolatori con tubo	Hose Reels with hose	
	F00750070	Arrotolatore per UREA con tubo 8 mt Small	UREA hose reel with 8 mt hose	400,00
Ne	w F00750110	Arrotolatore per UREA con tubo 15 mt Big	UREA hose reel with 15 mt hose	527,00
		Accessori	Accessories	
Ne	F16279000	Supporto girev. arrotol. Big	Rotating support plate Big	29,50
Ne	w F16298000	Staffa fissa arrotolatore Big	Fix support plate Big	14,80
Ne	w F17317000	Supporto girevole arrotolatore Small	Rotating support plate Small	29,50
Ne	w F17316000	Staffa fissa arrotolatore Small	Fix support plate Small	14,80
Ne	w F17275000	Kit base arrotolatore per serbatoio IBC	Kit plate hosereel for IBC tank	90,00
		Carrello	Troll	
	R12068010	Kit carrello SuzzaraBlue TROLL	SuzzaraBlue TROLLEY kit	313,00

		Tubi	Hoses	
	F17166000	Tubo aspirazione EPDM D. 19 - 60 mt	Suction hose EPDM D. 19 - 60 mt	330,00
	F14125050	Tubo mandata EPDM D. 19 - 80 mt	Delivery hose EPDM D. 19 - 80 mt	464,00
	F14250000	Tubo mandata EPDM D. 19 - 4 mt	Delivery hose EPDM D. 19 - 4 mt	31,20
	F14125020	Tubo mandata EPDM D. 19 - 6 mt	Delivery hose EPDM D. 19 - 6 mt	46,80
	F14125030	Tubo mandata EPDM D. 19 - 8 mt	Delivery hose EPDM D. 19 - 8 mt	62,40
	F14125040	Tubo mandata EPDM D. 19 - 10 mt	Delivery hose EPDM D. 19 - 10 mt	78,00
	F13800000	Fascetta 23-35-12 AISI 304 inox	Clamp 23-35-12 AISI 304 inox	40,00
		(Kit nr. 10 pz)	(Kit nr. 10 pcs)	
	F15515010	Kit aspirazione esterno 0,3 mt	Kit Bottom Connection	37,00
		Fusto IBC + valvola di linea		
100	F15515000	Kit aspirazione esterno 1,4 mt Fusto IBC	External suction hose IBC tank with foot	60,00
		+ valvola di linea	valve	
	F14146000	Kit aspirazione tubo EPDM 1,5 mt +	Kit Suction hose EPDM 1,5 mt with foot	48,31
		valvola di fondo	valve	
	F15883000	Kit aspirazione tubo EPDM 1,1 mt attacco SEC	Kit Suction hose EPDM 1,1 mt with SEC	47,00
	F15606000	Kit aspirazione rigido SuzzaraBlue Drum	Kit rigid suction hose SuzzaraBlue Drum	47,70

		Accessori	Accessories	
	R15452000	Connettore Sec + Portagomma 90°	Easy coupling SEC with hosetail 90°	25,4
	F15236000	Adattatore M\F 2in Fusto Greif	Adapter M\F 2in - Tank Greif	3,18
	R1512800A	Adattatore M/F 2in S70x6 Fusto Mauser	Adapter M/F 2in - S70x6 - Tank Mauser	4,18
	F15776000	Attacco Girevole M-F 1in Plastica per	Swivel M-F 1in GAS Plastic for manual	10,18
4700		Pistola manuale	nozzle	
infil	F15179000	Attacco Girevole M-F 1in Plastica	Swivel M-F 1in GAS Plastic	9,01
3	F16475000	Adattatore K24 per Pistola automatica	Connector K24 for automatic nozzle	23,40
	F14132000	Swivel Inox 3/4in M per Tubo D.19 Mm	Swivel St. steel 3/4in M for hose d.19 mm	21,35
	F16073000	Manicotto Inox 1in BSP (Kit Nr. 20 Pz)	Socket SS 1in BSP (Kit nr. 20 pcs)	155,00
	F16074000	Manicotto Inox 1in NPT (Kit Nr. 20 Pz)	Socket SS 1in NPT (Kit nr. 20 pcs)	86,00
	F16458000	Manic. Inox 1in BSP x 1ln NPT (Kit 20 Pz)	Socket SS 1in BSP x 1in NPT (Kit 20 pcs)	86,00
and the same of th	F15484000	Portagomma D.19 90° Ghiera per K24	Hosetail D.19 90° with ring nut for K24	6,47
5 3	F15485000	Portagomma D.19 90° Ghiera e Nipplo	Hosetail D.19 90° with ring nut and nipple	10,49
<b>3</b>	F15522000	Portagomma Diritto Ø20 1G Plastica	Hosetail Straight Ø20 1G Plastic	5,09
	F16435000	Portagomma con Ghiera 1In X 20	Hosetail with ring nut 1in x 20	4,00
A (2)	F16433000	Raccordo 90° con nr. 2 Ghiere 1in	Connector 90° with nr. 2 ring nut 1in	6,50
	F16434000	Raccordo Diritto con nr. 2 Ghiere 1in	Straight Connector with nr. 2 ring nut 1in	5,85
	F16497000	Manicotto di protezione per tubo da 3/4"	Rubber protector for hose 3/4"	3,04



# Condizioni generali di vendita

Il presente documento contiene le condizioni generali di vendita (d'ora in avanti "Condizioni Generali") della soc. PIUSI S.p.a., con sede legale in Via Pacinotti 16/A, z.i., Rangavino, 46029, Suzzara (Mantova), Italia (di seguito per brevità

Oggetto
 Le Condizioni Generali qui di seguito riportate regolano tutti i contratti di vendita da stipularsi tra il Venditore e il compratore destinatario della presente offetra (di seguito per brevità definito "Compratore") aventi ad oggetto i prodotti del Venditore (qui di seguito e per brevità definiti "Prodotti").
 Deroghe o modifiche alle presenti Condizioni Generali saranno valide solo se espressamente accettate per iscritto

1.2 Detroglie of indicinice alle present conduction clerificants adaint viduo solo se espressamente accentate per isonico dal Venditore ed avranno valore solo per le vendite a cui si riferiscono.

1.3 Pertanto, ogni disposizione, introdotta dal Compratore nell'ordine trasmesso al Venditore o in altro documento, che sia in contrasto o in aggiunta alle presenti Condizioni Generali, sarà considerata nulla e priva di effetto a meno che non venga espressamente accettata per iscritto dal Venditore.

2. Perfez ionamento e Conclusione del Contratto

2. Perfez ionamento e Conclusione del Contratto

2. L'afford da Monditora si intenda velida como un porciedo di tronto (20) giorni a decervoro della data della especa.

2. Periez toriamiento e concussore una contratto del Contratto del Contratto del Contratto del Venditore si intende valida per un periodo di trenta (30) giorni a decorrere dalla data della stessa, salva eventuale diversa indicazione in essa contenuta circa il periodo di valdidità. Pertanto, il Venditore non sarà tenuto a prendere in considerazione eventuali ordini di acquisto pervenuti successivamente alla scadenza di tale termine.

a prendre in considerazione eventuali ordini di acquisto pervenuti successivamente alla scadenza di tale termine. 2.2 L'ordine che il Compratore trasmette al Venditore a seguito dell'offerta dovrà contenere l'identificazione precisa dei Prodotti, delle quantità richieste ed ogni altro elemento essenziale per la conclusione del contratto di vendita, nonché l'espresso riferimento all'offerta medesima. 2.3 il contratto di vendita si intende concluso quando il Compratore riceve la conferma scritta del proprio ordine da parte del Venditore. Detta conferma scritta potrà essere inviata anche via e-mailo fax. Nessun ordine sarà vincolante a meno che, e fintantoché, non venga accettato dal Venditore con conferma d'ordine scritta. 2.4 Eventuali agenti ed intermediari non impegnano in alcun modo il Venditore e qualsiasi ordine ricevuto dai suddetti agenti e intermediari si intende subordinato alla conferma d'ordine scritta da parte del Venditore.

Troudul
 Troudul

nente richiedergli al fine di fornire i Prodotti.

Hiller incluedigi an iller i lorime i Producti.

4. Riserva di Proprietà

4.1 Le parti espressamente convengono che la vendita è effettuata con riserva di proprietà sui Prodotti a favore del Venditore e, quindi, il Compratore ne acquisterà la proprietà soltanto all'atto del pagamento integrale del prezzo complessivo concordato, ottre agli oneri accessori, ma ne assume i rischi dal momento della consegna come da art.

1523 del Codice Civile.

5.1 | prezzi di vendita sono quelli indicati nel listino in vigore al momento dell'offerta e sono calcolati "Ex Works

5.1 piezz di vertidia soli otglei indiciar eli risioni in vigore al minemio dei oriera e solio cacciari Ex works ("Franco Fabbica") – sede del Venditore – imposta sul valore aggiunto esclusa; potranno altresi includere eventuali altri oneri e costi (ad es. costi di trasporto) se indicati in fattura.
Salvo differente precisazione i prezzi indicati nei listini dei prezzi e nei cataloghi si intendono riferiti a "merce nuda" ovvero priva di alcun imballaggio.
5.2 Ferme restando le disposizioni precedenti di cui al punto 5.1, il Venditore si riserva la facotità di modificare a propria discrezione il prezzo dei Produtti con il variare dei costi delle materie prime, della manodopera e/o di altre componenti di costo connesse con il ciclo produttivo posto in essere dalla stessa.
6 Portinii

Il Venditore accetta solo ordini che abbiano un valore minimo di almeno 100,00 Euro

Il venditore accetta solo ordini che abbiano un valore minimo di almeno 100,00 Euro.

7. Condizioni di pagamento

7.1 Le condizioni di pagamento sono indicate, di volta in volta, nella conferma d'ordine del Venditore inviata al Compratore per il singolo contratto di vendita.

7.2 Salvo patto contrario, tutti i pagamenti devono essere inviati al Venditore mediante bonifico bancario o assegno provenienti esclusivamente da conti correnti intestati al soggetto destinatario della fattura presso la banca indicata dal Venditore. I pagamenti potranno essere effettuati ad un incaricato soltanto se debitamente autorizzato, munito di mandato scritto che lo autorizzi a riscuotere l'ammontare dovuto per conto del Venditore nel rispetto della normativa

in vigore.
7.3 E' inteso che eventuali reclami o contestazioni non danno diritto al Compratore di sospendere o comunque ritardare i pagamenti dei Prodotti oggetto di contestazione, né, tanto meno, di altre formiture.
7.4 in caso di mancato pagamento, in tutto o in parte, del prezzo di vendita ad una delle scadenze stabilite, il Venditore

7.4 in caso di mancato pagamento, in tutto o in parte, del prezzo di vendita ad una delle scadenze stabilite, il Venditore si riserva il diritto di porre a carico del Compratore, senza necessità di costituzione in mora, gli interessi in misura pari al tasso di interesse se del principale strumento di rifinanziamento della Banca Centrale Europea, maggiorato di sette punti percentuali, ai sensi dell'art. 4 del Decreto Legislativo n. 231 del 9 ottobre 2002, fino alla data dell'effettivo pagamento, termo restando qualsiasi altro miendol previsto a favore del Venditore dalle presenti Condizioni Generali e/o dalla legge.
7.5 il mancato o parziale pagamento, anche di una sola fattura, attribuisce al Venditore la facoltà di sospendere ordini arretrati (back orders) o nuove consegne.
Qualora il mancato o parziale pagamento si protragga per un periodo di 30 (trenta) giorni dalla scadenza stabilità è attribuita al Venditore la facoltà di risolvere immediatamente il contratto di vendita fermo restando il diritto di ottano di il carcino della cance la disconse di de sono di contratto di della morbi di conseco.

il risarcimento del danno ivi incluso il rimborso delle spese legali connesse all'azione di recupero del credito, anche in via stranjudiziale

In via straguidizale.

8. Consegna del Prodotti

8.1 Salvo diverso accordo, documentato nella conferma d'ordine del Venditore, la consegna dei prodotti al Compratore avviene "Ex Works" Incoterms@ ("Fano Fabbrica") presso la sede del Venditore.
8.2 I termini di consegna indicati dal Venditore o concordati tra le parti sono stabiliti a favore del Venditore ed hanno carattere indicativo, per cui eventuali ritardi non potranno dar luogo ad alcuna pretesa di risarcimento o di annullamento. dell'ordine da parte del Compratore. Eventuali clausole penali per il ritardo nelle consegne non avranno alcuna efficacia nei confronti del Venditore. I termini di consegna si intendono decorrere dalla data della conferma d'ordine. Il Venditore si riserva il diritto di effettuare consegne parziali, nel momento e nella misura in cui singole parti del prodotto siano

s riseva il unito di reintetudare consegnie parziani, nei minimento e riena inisiona in cui singore pari dei prodotto sano pronte per la consegnia. 8.3 i suddetti termini di consegnia sono in ogni caso superati dal sopravvenire di eventuali cause di forza maggiore (per le quali si rinvia all'art. 11) o da atti od omissioni del Compratore (quali, a titolo esemplificativo ma non esaustivo, la mancata comunicazione di indicazioni necessarie per la fornitura del prodotti).

8.4 Qualora il Compratore richieda al Venditore di incaricare del ritiro e del trasporto un vettore o spedizioniere, dovrà

8.4 usaiora il Compratore incheo ai venotiore di incancare del ritiro e del trasporto un vettore o spedizioniere, dovrà farlo per iscritto e, qualora il Venditore accetti, il vettore o spedizioniere si intenderà cone incaricato direttamente dal Compratore con rischi e spese a suo carico.
8.5 Dal momento della consegna del Prodotti al primo trasportatore, a prescindere dal termine di resa concordato, come anche nel caso in cui il Compratore ritardi nel ritirare i Prodotti posti a sua disposizione dal Venditore, tutti i rischi relativi ai Prodotti si trasferiscono al Compratore, sul quale restano, altresi, a carico le spese di magazzinaggio, custodia ed assicurazione o quant'altro.
9. Rechami alla consegna.

# 9. Reclami alla consegna

9. Reclami alla consegna Il Compratore è tenuto ad ispezionare con cura i Prodotti consegnati al più presto dopo la ricezione degli stessi. Eventuali reclami relativi all'imballaggio, alla quantità, numero o caratteristiche esteriori del Prodotti (vizi apparenti), dovranno essere notificati al Venditore mediante lettera raccomandata A/R, a pena di decadenza, entro 8 (otto) giorni dalla data di ricevimento dei Prodotti sotto pena di decadenza dalla garanzia. Contestualmente, le parti difettose debbo-no essere restituite con spese di trasporto ed assicurazione a carico del Compratore. Il Compratore dovrà specificare il reclamo in una nota separata e dovrà menzionane la fattura del Venditore (indicando data e numero della fattura) el le parti restituite si riferiscono. L'omessa tempestiva notifica del difetto e restituzione della parte difettosa, comporteranno decendora del Compratore da coni sicrino volta a fat velare ia vicidatti difetti. decadenza del Compratore da ogni azione volta a far valere i suddetti difetti.

10. Garanzia
10. Il Venditore garantisce che i Prodotti venduti hanno le qualità essenziali per l'uso a cui sono destinati secondo le specifiche tecniche del Prodotto e la conferma d'ordine e sono conformi alla legge italiana nonché alla normativa UE eventualmente applicabile.
10.2 Il Venditore presta garanzia per vizi e difetti eventuali del Prodotti, per il periodo di 24 (ventiquattro) mesi dalla consegna del Prodotti "Ex Works" (Franco Fabbrica) (sede del Venditore).
10.3 La suddetta garanzia copre tutti i difetti che compaiano nel Prodotto a seguito di un uso normale dello stesso, derivanti esclusivamente da difetti nei materiali o nella manodopera.
10.4 La garanzia si intende unicamente a favore del Compratore e non può essere estesa ad eventuali acquirenti successivi del Prodotti, ne a terzi in generale.
10.5 Per la validità della garanzia prestata dal Venditore, al fine di ottemperare alle norme comunitarie e/o nazionali applicabili ai Prodotti e per tutto il periodo d'uso dei Prodotti medesimi, il Compratore deve attenersi scrupolosamente alle indicazioni contenute nelle istruzioni d'uso e manutenzione fornite dal Venditore nonché deve garantire una formazione adeguata del suo personale, o terzi se dal Compratore inacciati, affiniché detto personale svolga le operazione alle infoazioni contentine l'ene situation i use el manuellazione romine adveniune infoarine deve gualmine una forma-zione adeguate del suo personale, o terzi se dal Compratore incaricati, affinché detto personale svolga le operazioni di installazione, montaggio, smontaggio e riparazione del Prodotti in modo tale da non arrecare danni a cose e/o persone ed operi in conformità alle normative comunitarie e quelle eventualmente più dettagliate presenti nello stato in cui vengono messi in servizio i Prodotti. Sempre per la validità della garanzia prestata dal Venditore, al fine di ottemperare alle norme comunitarie e/o nazionali applicabili ai Prodotti, il Compratore, per i prodotti con certificazione ATEX, IECEX,

### General conditions of sale

This document includes the general conditions of sale (hereinafter: "General Conditions") of PIUSI S.p.A., with registered offices at Via Pacinotti, 16/A, z.i. Rangavino, I-46029 Suzzara (Mantova, Italy) (hereinafter: "Seller").

Purpose
 These General Conditions shall govern all contracts between Seller and the customer which is the intended addressee of this quotation (hereinafter: "Customer") for the sale of Seller's products (hereinafter: "Products").
 No changes to these General Conditions are valid unless agreed upon by Seller in writing, and any such approved changes shall only apply to the individual sale contract they expressly refer to.
 Therefore, any provision introduced by Customer in a purchase order or in a different document, which is in

conflict with or in addition to these General Conditions, shall be deemed null and void unless Seller expressly accepts

### 2. Contract Formation

2. Contract Formation
2.1 Seller's quotations are valid for thirty (30) days as of quotation date, unless it is indicated otherwise in the same quotation. Therefore, Seller may disregard any purchase orders received after the above term.
2.2 All orders placed with Seller following a quotation, must include a precise description of the Products, quantities ordered and any other details required for the sale contract, as well as an express reference to the quotation.
2.3 A sale contract is formed upon receipt by Customer of Seller's written acceptance of the order. Such acceptance may be communicated also by e-mail or facsimile. No orders shall be binding unless and until accepted by Seller in written.

2.4 Any orders collected by Seller's agents or middlemen are not binding and are subject to the Seller's written

3. Products
 3.1 All Products' information contained in the Seller's catalogues, lists, leaflets, web sites, or any other similar docu-

ments are not binding upon the Seller, unless an express reference to them is included in the sale contract.

3.2 The Seller may at any time delete any Products from the lists or modify any Products.

3.3 The Customer shall provide the Seller with any information as reasonably requested by the Seller in order to

 3.3 The Customer shall provide the Seller with any information as reasonably requested by the Seller in order to supply the Products.
 4. Retention of title
 4.1 The parties hereby expressly agree that sales are made on a retention of title basis. Therefore, the Purchaser shall acquire ownership on the Product purchased only when payment of the price is received in full by the Seller. However, the Purchaser assumes any risks connected with the Product from the time of delivery, according to article 1523 of the Italian Civil Code.

### 5. Prices

5. Prices
5.1 Sale prices shall be as shown in the price list in force on the quotation date, and shall be calculated "Ex Works" Seller's headquarters. Sale prices are exclusive of V.A.T.. They may include those other duties or taxes upon the sale contract (e.g. transportation costs) as specified in the invoice.
Unless otherwise indicated, prices shown in lists and catalogues are intended for goods only, exclusive of packaging.
5.2 Without prejudice of Section 5.1 above, Product prices may be changed by the Seller at its sole discretion as a

consequence of changes in cost of raw materials, labor costs and/or other production costs.

# ller may not accept orders for less than € 100.00.

Seller may not accept orders for less than € 100.00.

7. Payment terms

7.1 Payment terms are specified in the order confirmation as sent by the Seller from time to time for each sale contract.

7.1 Payment terms are specified in the order confirmation as sent by the Seller from time to time for each sale contract.

7.2 Unless agreed otherwise, all payments must be made by bank transfer or cheque originating from bank accounts of the addressee of Seller's invoice. Payments shall be made to the Seller's bank account as specified by the Seller. Payments may be made to persons acting on the Seller's behalf, only if such persons have been duly authorized in writing by Seller to collect the amount due in accordance with the laws in force.

7.3 Any claims concerning Products shall not entitle Customer to suspend or delay payments for the same or other surprolice.

supplies.

7.4 In case of payment delays, Seller reserves the right to charge Customer with interest without the need to formally place Customer in default. Interest shall be calculated at the rate applied by the European Central Bank to its main refinancing operations plus seven percentage points, in accordance with article 4 of the Italian Legislative Decree no.231 of 9 October 2002, until the amounts due are actually paid, without prejudice to any further right or remedy the Children become accordance these Ceneral Conditions and/or the annicable Bank. Seller may have according to these General Conditions and/or the applicable laws.

7.5 If payments are omitted or delayed, even on a single invoice, Seller may suspend processing back orders or new

7.3 It payments are ornitrous or support.

Payment delays exceeding 30 (thirty) days of the due date, shall entitle Seller to immediately terminate the sale contract without prejudice to the Seller's right to claim damages, which damages shall include, but shall not be limited to, reimbursement of the attorney's and/or court fees borne by the Seller in connection with a credit collection action, including out of court collection attempts.

8. Product Delivery
8.1 Unless otherwise agreed and shown in the Seller's order confirmation, Products are delivered "Ex Works" ICC Incoterns® at the Seller's place of business.
8.2 Delivery dates, whether indicated by Seller or agreed upon, shall be considered as estimates only. Therefore, any delay in delivery shall not entitle the Customer to cancel an order nor claim damages from the Seller. Penalty clauses for delayed deliveres shall have no effect towards Seller. Delivery terms shall start from the order confirmation date. The Seller reserves the right to effect partial deliveries, as and when the parts are ready for dispatch.
8.3 in any case, the Seller shall have no liability whatsoever if delivery terms are exceeded due to a force majeure event carried in the richies 11 havet on or hv Customer's actions or nomissions (including but not limited to, failure to provide

8.3 in any case, the seller shall nave no liability winascever in delivery terms are exceeded due to a lorde majeure event according to Article 11 hereto, or by Customer's actions or omissions (including, but not limited to, failure to provide Seller with the necessary requirements for the supply of Products).
8.4 The Customer may, in writing, ask the Seller to appoint a carrier or a forwarder to collect the Products on the Customer's behalf. If the Seller accepts, any such carrier or forwarder shall be considered as appointed directly by the Customer As a consequence, the Customer shall be entirely responsible for any risks and expenses in connection therewith. A5 Whatever the delivery term agreed upon, all risks related to the Products shall pass to the Customer of delivery of the Products to the first carrier. All such risks shall also pass to the Customer in case the Customer delays in collecting.

the Products when ready for collection, and the Customer shall also bear any and all charges of storage, care and


the Products when ready for collection, and the Customer shall also bear any and all charges of storage, care and insurance, or others applicable.

9. Complaints on faulty delivery
The Customer shall carefully inspect any Products delivered as soon as practicable after receipt thereof. Any complaints relating to packaging, quantity, number or external features of Products (apparent defects), must be notified to the Seller by registered mail with return receipt, and the defective parts must be returned in their original packing, insurance and carriage prepaid, no later than eight (8) days as from receipt of the Products. The Customer shall specify the claim in a separate note and shall mention the Seller's invoice by invoice date and number) to which the returned parts pertain. Failure to timely notify the defect and to return the faulty parts, will result in forfeiture of the Customer's rights to claim the above defects.

10. Product Warranty
10.1 Seller hereby warrants that Products are suitable for the intended use according to the technical specifications and the order confirmation terms, and comply with the Italian laws and EU regulations where applicable.

10.2 Seller's warranty for Product defects is of 24 (twenty four) months as of the "Ex Works' delivery date.
10.3 Seller's Product warranty is for any defects in materials or workmanship appearing in Products used in normal conditions.

10.3 Seller's Product warranty is for any defects in materials or workmanship appearing in Products used in normal conditions.
10.4 Seller's warranty is only intended for Customer and may not be extended to any other customers or third parties.
10.5 As a condition for Customer to invoke Seller's warranty, and in order to comply with the applicable Italian and EU regulations, Customer shall for the whole period of use of the Products, carefully follow the instructions contained in the user and maintenance manuals as supplied by Seller. Further, Customer shall appropriately instruct its own personnel or third parties appointed by the Customer, to the installation, assembling, disassembling and repair of Products in such a way to avoid damages to persons or objects, making sure that such personnel always work in compliance with EU regulations including the implementing regulations in force in the countries where Products are used. As an additional contion for the validity of Seller's warranty, and to comply with the applicable Italian and EU product rejulations, Customer shall, in relation to Products with AFEX, IECEX, ILC CLASSIFIED, UL LISTED certifications, which are intended for use in zones at risk of explosion, maintain an appropriate organizational structure in order to ensure the traceability of such products. Seller's warranty shall not apply if Customer is not up-to-date with payments, or has not installed Products in full compliance with the user and maintenance manuals, or has modified or damaged Products, or has used them for purposes of different from their normal destination, as well as in any other cases where damages or improper functioning are caused by fault or negligence of Customer, its personnel or third parties, including but not limited to improper installation, maintenance, repairs. Customer must also ensure, for the above purposes, that Its own personnel, and/or third parties appointed by it, have the necessary technical knowledge with regard to the essential features of



# Condizioni generali di vendita

UL CLASSIFIED, UL LISTED, destinati all'impiego in zone a rischio esplosione, deve dotarsi di una struttura organizza-UL CLASSIFIED, UL LISTED, destinati all'impiego in zone a rischio espiosione, deve dotarsi di una struttura organizza-tivadazienda eta a garantime la loro traccialità. La garanzia non si appilica se il Compratore non è in regola con pagamenti, se non ha installato i Prodotti in piena conformità alle istruzioni presenti sul manuale d'uso e manutenzione del prodotto, se ha apportato modifiche o se ha manomesso o dameggiato i Prodotti o il ha utilizzati per sopi diversi dalla loro normale destinazione d'uso, così come in tutta le ipotesi di danno o di mancato funzionamento scaturenti da colpa o negligenza del Compratore, dei suoi dipendenti e ausiliari o di terzi in genere, ivi compresa l'errata installazione, manutenzione o riparazione. Il Compratore deve altresi garantire, per i motivi di cui sopra, che il proprio personale, o terzi dallo stesso delegati, abbiano le conoscenze tecniche necessarie in mentro alle caratteristiche essenziali del dispositivi di protezione che possono essere montati nei Prodotti per evitare danni a cose e/o persone e, segnaziamente, ce evitato l'incorpara di icio di deinenti delli per evitare danni a cose e/o persone e, segnaziamente, manutenzone o riparazione. Il Compriatore deve aires giarantire, per i motivi di cui sopra, cne il proprio personale, o tezzi dallo stesso delegati, abbiano le conoscenze tecniche necessarie in merito alle caratteristiche essenziali dei dispositivi di protezione che possono essere montali nei Prodotti per evitare d'anni a cose e/o persone e, segnatamente, per evitare l'insorgere di rischi derivanti dall'uso dei Prodotti o, se sorti, tempestivamente circoscriveri dei eliminari. Il Compratore, in ogni caso, si impegna a tenere indenne e manlevare da eventuali richieste di danni e/o sanzioni amministrative il Venditore, qualora quest'utime derivino dalla violazione da parte del Compratore degli obblighi sullo stesso giavanti, così come enunciati nel presente articolo.

10.6 La garanzia del prodotto del Venditore non copre eventuali danni dovuti a parti soggette ad usura. La garanzia del Venditore non copre nemmeno eventuali dianni dovuti a derrato magazzinaggio nel casi di Prodotti in tutto o in parte tenuti in magazzino dal Compratore prima dell'installazione, dell'uso della rivendita agli acquirenti finali.

10.7 Fermo restando quanto disciplinato dall'art. 9 delle presenti Condizioni Generali (Reclami alla consegna) il Compratore è tenuto a denunciare al Venditore per iscritto la presenza di eventuali vizi riscontirati nel Prodotto entro 8 (otto) giorni dalla scoperta e, in ogni caso, non oltre il periodo di garanzia di cui all'art. 10.2.

10.8 Tale denuncia evene essere effettuata con lettera raccomandata Alfa anticipata via fax. Qualsiasi denuncia dei difetti dovrà specificare con precisione il difetto riscontrato ed i Prodotti cui esso si riferisce. E' esclusa ogni diversa forma di denuncia asporatutto a mezzo telefono o a mezzo agente o rappresentante.

10.9 In mancanza di tempestiva denuncia come sopra, il Compratore si intenderà decaduto da qualsiasi diritto ed azione per far valere la garanzia del Venditore on base alle presenti Condizioni Generali e/o alla leggio en della sottituzione del Venditore per

Comparate indestina a tutou of piezzo del Prodotti e Sontine Crie quest uninfo inenga a un dovide a qualsissi tuto.

11. Forza Maggiore

11. In ogni caso, il Venditore non sarà responsabile nei confronti del Compratore per l'inadempimento di qualsivoglia clausola delle presenti Condizioni Generali e/o del contratto di vendita, qualora l'adempimento sia reso impossibile o eccessivamente oneroso a causa di eventi imprevedibili ad esso non imputabili. Tra tali eventi sono da considerarsi inclusi, a titolo esemplificativo ma non limitativo, i seguenti: incendi, inondazioni, terremoti, esplosioni, incidenti, querre, rivolte, insurrezioni, sabotaggio, ejediemie, restrizioni per quarantena, scioperi, mancanza di mano d'opera, blochi di trasporto, carenza di energia, mancanza di materie prime o di macchinari per la produzione del Prodotti, eventi naturali ed atti di qualsiasi pubblica autorità, anche straniera.

11.2 Qualora una causa di forza maggiore impedisca o ritardi la consegna dei Prodotti al Compratore o l'esecuzione di una qualsiasi altra obbligazione del Venditore per un periodo superiore a sei (6) mesi consecutivi, il Venditore avrà la facoltà di risolvore il contratto di vendita senza alcuna responsabili di sorta nei confronti del Compratore, fatte salve le previsioni di legge di cui agli artt. 1463 e ss. e 1467 e ss. c.c.:

12. Accettazione e condizioni

12. Climissione dell'ordine sancisce l'accettazione delle precedenti condizioni generali di vendita confermate dalla parte acquirente che rinuncia ad eventuali proprie condizioni generali di acquisto considerate singolarmente o nel loro complesso.

# 13. Segni Distintivi dei Prodotti

13. Segini Distintivi del Prodotti
13.1 Il Compratore si impegna a non cancellare o rimuovere i marchi e gli altri segni distintivi o di identificazione apposti sui Prodotti.
13.2 Rimane inteso che, né con le presenti Condizioni Generali, né con i singoli contratti di vendita, vengono concessi al Compratore diritti di sorta (a titolo di licenza o a qualsiasi altro titolo) sui segni distintivi del Venditore. Qualsiasi utilizzo da parte del Compratore di segni distintivi del Venditore è da ritenersi vietato, salva preventiva autorizzazione scritta n tal senso da parte del Venditore

# 14. Risoluzione del contratto di vendita

14. Hisoluzione dei contratto di vendità
14. Il Venditore ha diritto di risolvere immediatamente il contratto di vendita concluso sulla base delle presenti Condizioni Generali, oltre che nei casi espressamente previsti dalle presenti Condizioni e dalla normativa applicabile, qualora intervenga qualsiasi modificazione nelle condizioni economiche del Compratore che ne comprometta la capacità di soddistare le proprie obbligazioni o nel caso in cui il Compratore sia posto, a titolo d'esempio, in liquidazione, sia sottoposto a fallimento a da altre procedure concorsuali.

14.2 In al caso il Venditore avvà diritto di chiedere l'intero pagamento in un'unica soluzione di quanto ancora dovuto

dal Compratore nel limiti consentiti dalla legge.

15. Dirtitti di proprietà industriale ed intellettuale

Il Venditore è e rimane l'esclusivo titolare di tutti i diritti di proprietà industriale ed intellettuale connessi con i Prodotti fomiti, ivi incluse loro singole parti e la documentazione.

16. Autonomia Qualora una qualsiasi clausola delle presenti Condizioni Generali sia considerata invalida o inefficace, tale invalidità o inefficacia non comprometterà la validità delle altre clausole che continueranno ad avere piena efficacia

inefficacia non comprometera la variorità delle arue ciausore che comminderarino da craco porte.

7. Legge Applicabile

Le presenti Condizioni Generali, nonché qualsiasi contratto di vendita concluso tra il Venditore ed il Compratore, saranno regolati ed interpretati in conformità alla legge italiana.

18. Incoternis®

L'uso del termine "Ex Works" (Franco Fabbrica) nelle presenti Condizioni Generali, così come qualsiasi eventuale diverso termine di resa concordato tra Venditore e Compratore, sarà interpretato in conformità agli INCOTERMIS® della Camera di Commercio Internazionale (CCI) in vigore alla data della conclusione del contratto di vendita.

10. Giuri-dizione e Fran Commetente

19. Giurisdizione e Foro Competente 19.1. Per ogni e qualsiasi contrivorsita derivante dalle presenti Condizioni Generali e dai contratti di vendita conclusi sulla base delle stesse, la giurisdizione esclusiva sarà quella Italiana e la competenza apparterrà in via esclusiva al

suna dase delle stesse, la giunisdizione esclusiva salla quella fialianta e la competenza appartenta in via esclusiva ai Foro di Mantiova.

19.2 In espressa deroga all'art. 19.1, si conviene espressamente la facoltà del Venditore, in alternativa a quanto sopra ed a propria esclusiva discrezione, di convenire il Compratore dinanzi al Foro competente presso la sede d'affari di

# 20. Conferimento e trattamento di dati personali

20. Comernimento e trattamento a dati personali. Il D.I.gs. n. 196 del 30/06/2003 prevede la tutela delle persone e di altri soggetti rispetto al trattamento dei dati personali. Il trattamento è improntato ai principi di correttezza, liceità, trasparenza e tutela della riservatezza di colui che conferisce i propri dati personali. Ai sensi dell'art. 13 D.I.gs. 196/2003 con riferimento ai dati personali comuni e sensibili che si intendono fare oggetto di trattamento, si forniscono le seguenti informazioni: a) Finalità del trattamento: archivio contabilità, archivio commerciale, archivio ufficio tecnico.
I dati vengono raccoti le trattati per provvedere agli adempimenti contabili, fiscali, commerciali e tecnici obbligatori consecio il distribiti conorgicia del Venditore dei preporti entrettali de questi informazio interescoi.

I dati vengono raccotto e trattati per provvedere agli adempimenti contabili, riscali, commerciali e tecnici obbligatori connessi all'attività economica del Venditore dei ai rapporti contrattuali da questo intrapresi.

b) Modalità di trattamento gestione manuale ed informatizzata.
c) Conferimento dei dati: obbligatorio per permettere il regolare flusso di dati contabili, fiscali e tecnici; l'eventuale rifiuto potrebbe comportare la mancata o parziale esecuzione del contratto.
d) Comunicazione e diffusione: dati potranno essere comunicati dal Vendifore ad eventuali altri soggetti esterni per lo svolgimento delle attività tecniche, commerciali, adempimenti fiscali, gestione di incassi e pagamenti derivanti dall'esecuzione dei contratti e ad altri soggetti secondo la legge.
e) L'interessato gode dei diritti di cui all'art. 7 del D.Lgs. 196/2003.
f) Titolare del trattamento dei dati è la società Piusi S.p.A., Via Pacinotti 16/A, z.i., Rangavino, 46029, Suzzara (Mantevel). Italia

tova), i caia.
g) Il responsabile del trattamento è indicato nel DPS aziendale in vigore.
La sottoscrizione dell'ordine autorizza anche il trattamento dei dati personali per lo svolgimento dei rapporti contrattuali in riferimento all'informativa ricevuta.

# General conditions of sale

10.7 Without prejudice to Article 9 of these General Conditions (Complaints on faulty delivery), the Customer shall notify any Product's defects within 8 (eight) days from the date of discovery and, in any case, not beyond the warranty term as per Article 10.2.

term as per Aruse 19.2..

10.8. Any claim must be made by facsimile confirmed by registered mail with return receipt. Also, any claim must specify the type of defect discovered and the Product(s) it refers to. Any other form of notification, e.g. by telephone or 10.8 Any claim must be made by facsimile confirmed by registered mail with return receipt. Also, any claim must specify the type of defect discovered and the Product(s) it refers to. Any other form of notification, e.g. by telephone or through an agent, shall not be valid.
10.9 Failing such timely notification, any Customer's rights to enforce any Seller's warranties under these General Conditions or the applicable laws shall be forfeited.
10.10 The Customer shall, after obtaining Seller's return authorization, ship the defective Product(s) to the Seller for

10.10 Inc Customer shall, after obtaining Seller's return authorization, ship the detective Product(s) to the Seller for inspection. Shipping costs for said authorized returns shall be borne by the Customer. Address for shipping is: PIUSI S.p.A. z.i. Rangavino - Via Pinfari 2A/2B 46029 SUZZARA - MN - ITALY..

Any materials shipped without Seller's prior authorization and/or without pre-payment of shipping costs, shall not be collected.

The defective parts shall become the Seller's property after their replacement. If goods to be returned are new and still in production, return is subject to both pre-payment of shipping expenses and Seller's prior written authorization.

10.11 If testing at the Seller's warehouse proves the existence of the claimed defects, the Seller shall, in its sole indigenant, either replace the defective product(s) or correct the defects. Any replaced Product(s) et all be delivered.

10.11 if testing at the Seller's warehouse proves the existence of the claimed defects, the Seller shall, in its sole judgment, either replace the defecthe Product(s) or correct the defects. Any replaced Product(s) shall be delivered "Ex Works". Seller may at its sole discretion credit an amount not exceeding 70% of the originally invoiced price.

10.12 The Seller's warranty under this article is the sole warranty to the Customer and replaces any other kind of warranties, provided for by laws and by commercial customs.

10.13 Any liability of the Seller for damages whatsoever arising from the Products, regardless of the type of damages (direct, indirect, consequential or else) and the type of liability (for contract, negligence, tort, strict liability or else) is hereby expressly excluded except in cases of Seller's fraud or gross negligence.

10.14 The Seller may not suspend or delay payments for any reason, nor claim damages or reduction of the Products' price. The Customer may not offset any payment due to the Seller with any sums that the Customer reckons it should receive for any reason.

Textoris it strutul receiver but any reason.

11. Force Majeure

11.1 in any case, Seller shall not be responsible or liable to Customer for breach of these General Conditions or a sale contract, if compliance is impossible or extremely burdensome because of unforeseen events not attributable to Seller, including but not limited to: fire, flood, earthquake, explosions, accidents, war, riots, sabotage, epidemics, quarantine restrictions, strikes, transport blocks, shortage of energy, raw materials or machinery for producing Products, natural

restrictions, strikes, transport blocks, stortage of energy, raw materials or machinery for producing Products, natural events or acts of any public authority.

11.2 Whenever a force majeure event prevents or delays delivery of Products to Customer or the performance of any other Seller's duties for a term exceeding six (6) consecutive months, Seller shall be entitled to terminate the sale contract without any liability towards Customer, without prejudice to Articles 1463 and following, and Article 1467 and following, of the Civil Code.

### 12. Acceptance and conditions

12.1 Purchase orders may be accepted only in writing, including by electronic form.

12.2 Issuance of a purchase order shall mean acceptance of these general sale conditions, and waiver of any Customer's terms and conditions.

inter's errors and conductors.

13.1 Trademarks

13.1 The Customer undertakes not to cancel, remove or damage any of the trademarks, logos or names placed upon the Products.

13.2 Nothing contained in these General Conditions or in the sale contract shall be construed as granting Customer any rights, whether by license or otherwise, upon the Seller's trademarks. Any use of the Seller's trademarks by Customer is therefore excluded, unless with the Seller's prior written consent.

### 14. Termination of the sale contract

14. Termination of the sale contract
14.1 Without prejudice to other provisions of these General Conditions and the applicable laws, Seller shall be entitled to terminate immediately the sale contract, (i) if a change in the Customer's financial conditions occurs, in such a way that, in the Seller's judgment, payments due to Seller are at risk, or (ii) if the Customer files a petition in bankruptcy, or is adjudicated bankrupt, or takes advantage of the insolvency laws of any jurisdiction.
14.2 In the above cases the Seller shall be entitled to request the entire payment of the sums still due by the Customer

in one amount as permitted by the laws.

in one amount as permitted by the laws.

15. Intellectual Property Rights

Any and all intellectual property rights connected with the Products, including any individual parts thereof and any documentation pertaining thereto, belong solely to the Seller.

16. Severability

Should any of these General Conditions be declared void or unenforceable by a court of competent jurisdiction, the remainder of these General Conditions and the sale contract shall not be affected thereby and shall continue to be full world end expressible. fully valid and enforceable.

# 17. Governing laws

These General Conditions and any sale contract between Seller and Customer shall be governed by the laws of Italy.

18. Incoterms®

The use of "Ex Works" in these General Conditions, or any other delivery terms as may be agreed upon between Seller and Customer, shall be interpreted according to the INCOTERMS® of the International Chamber of Commerce (ICC) as in force on the date the sale contract is made.

19. Jurisdiction and venue
19.1 The courts of Mantova (Italy)shall have the exclusive jurisdiction on any and all disputes arising from these General

19.1 The courts of Martiova (naty)strain rave the exclusive jurisdiction on any and air disputes ansing from these ceneral conditions or from any contract of sale between Seller and Buyer.

19.2 As an express deviation from Article 19.1, it is hereby expressly agreed that Seller may, alternatively and at its sole discretion, sue Customer before the courts of Customer's domicile.

20. Personal data

Legislative Decree (D. Lgs.) n. 196 of 30/06/2003 provides for the protection of individuals and other persons with

regard to the treatment of personal data. Such treatment has to be consistent with principles of fairness, lawfulness, transparency and protection of confidentiality of the person providing his own personal data.

In accordance with Article 13 of D.gs. 1962/030 and with reference to the "ordinary" and "sensitive" personal data which are intended to be treated, the following information is hereby provided:

a) Purposes of treatment: accounting data bases, commercial data bases, bechnical department data bases.

Personal data will be collected and managed in order to accomplish mandatory duties of accounting, tax, commercial and technical nature in connection with the Seller's business and with contractual commitments undertaken by Seller.

b) How data are treated: manuful vand by computer b) How data are treated: manually and by computer.

b) How data are treated: manually and by computer.
c) Provision of personal data: it is mandatory in order to allow the regular flow of accounting, tax and technical information; refusal to provide data may lead to failure or partial performance of the contract.
d) Communication and divulgation; personal data may be communicated by Seller to outside third parties providing technical; commercial tax services, collection and management of payments arising from contract performance, and to other third parties in compliance with the law.
e) The person concerned is entitled to exercise the rights set forth by Art. 7 of D.Lgs. 196/2003.
f) Owner of the data treatment is the company Piusi S.p.A., with offices in Via Pacinotti 16/A, z.i., Rangavino, 46029, Suzzara (Mantoval Itak)

Suzzara (Mantova), Italy.
g) Responsible for the treatment is indicated in the current "DPS" (policy document on privacy) for the company,
By sending a purchase order, Customer also authorizes his data to be treated for the performance of the contract in
relation to which information under the privacy protection rules is received.

PIUSI S.n.A. Merio Zenin



# Licenza d'uso software

Leggere con attenzione questo avviso prima di procedere con il download. l'installazione e l'uso di questo program-Leggler cui adectiving questa variso prima di procede cui in dominado, rinsaliancine e la soi un giossi programa. Ima. Eseguendo un clic sul pulsante con la scritta "continua" dichiarate di ritenenvi legati dai termini di questo accor che costituisce un contratto dal valore legale tra chi concede la licenza (d'ora in poi "Piusi SpA") e chi la assume in

### 1. Definizioni

1. Jenimizioni
1.1 in questo accordo per programma si intende il programma per computer e tutto quanto vi è collegato, il materiale stampato, la documentazione che può essere on line o stampata ed il software compreso nel pacchetto.
1.2 il programma è protetto dalle norme di legge e dai trattati internazionali sulla proprietà intellettuale. La proprietà e lo sfruttamento economico del programma (compresì i copyright, i marchi di fabbrica, i diritti riguardo i brevetti o qualunque altra proprietà intellettuale di qualunque natura) e tutte le copie che ne derivano rimarranno di Piusi SpA.

### 2. Termini contrattuali

Il programma viene concesso esclusivamente in licenza di uso per poter essere utilizzato secondo i termini di guesto

2.1 Installando, copiando o in altro modo usando il programma, voi vi dichiarate d'accordo con quanto descritto in

La risialanto. Cupitanto un autorino di santo il programma, voi vi dicinarate di accordo con quanto descritto il riquesto accordo.

In caso di disaccordo è fatto divieto di usare il programma e dovrete immediatamente cancellare qualunque copia del programma risulti in vostro possesso.

### 3. Diritti ed obblighi

3. Untra et obolighi
3. Unitra et obolighi
3. Il contratto è stipulato in modo personale e non trasferibile ed è strettamente connesso all'utilizzo dei prodotti
Plusi s.p.a. E'pertanto fatto divieto di cessione del presente contratto.
3.2 Il mancato rispetto delle clausole, contrattuali determina la cessazione del contratto senza responsabilità alcuna
per Piusi s.p.a.
3.3 E' vostro diritto risolvere il presente contratto in qualsiasi momento cessando l'utilizzo del programma e con
relativo obbligo di cancellare immediatamente qualunque copia del programma risulti in vostro possesso.

### 4. Altri diritti ed obblighi

4. Tranne d'en per quanto espressamente esposto in questo Accordo non è concesso di copiare, riprodurre, pubbli-care, affittare, cedere in leasing, modificare, creare delle opere derivate del Programma compresa l'esportazione e non vi è concesso di togliere le note relative alla proprietà identificativi o marchi del Programma.

5. Diritti di proprietà intellettuale 5.1 Il Programma è protetto dalle norme sul copyright ed altre leggi sulla proprietà intellettuale e da trattati

6. Garanzia limitata
6.1 La garanzia viene fornita sul programma così com'è, senza alcuna altra garanzia di alcun genere, implicita o

espressa. In particolare Piusi SpA non garantisce che le operazioni eseguite dal programma saranno prive di errore. 6.2 Piusi SpA non garantisce l'utilizzo del Programma nei termini della sua affidabilità, accuratezza, attualità o

La durata del periodo di garanzia richiesta dalle norme sarà limitata nei termini della garanzia limitata.

7. Esclusioni della responsabilità\* per perdite derivanti.
7.1 in nessuna circostanza Piusi SpA o chiunque altro sia stato coinvolto nella creazione, produzione, commercializzazione o consegna del Programma sarà considerato responsabile per danni accidentali o che possano conseguire
dall'utilizzo o dalla vostra limpossibilità di usare il Programma, compresi, senza limitazioni, danni per perdite di profitto
aziendale, interruzione del lavoro, perdita di informazioni aziendali, problemi con il computer o qualunque altro danno di alcun genere anche se è stata awisata della possibilità di tali danni

8. Limitazione di responsabilità
8.1 La responsabilità di Piusi SpA non potrà mai essere superiore al prezzo da voi pagato per il programma.

# 9. Politica di aggiornamento

9.1 Piusi SpA può di tanto in tanto aggiornare la versione di questo programma e può, a sua opzione, rendere questo aggiornamento disponibile per il vostro uso.

10. Termini generali
10.1 La legge e la giurisdizione applicabile al presente contratto è la legge italiana ed il foro esclusivamente competente è il Tribunale di Mantova.
10.2 Comunque se una o più clausole del presente contratto fossero dichiarate non valide da una qualunque corte

avente giurisdizione competente, l'invalidità di tale provvedimento non avrà effetto sulla validità degli altri elementi di questo accordo che resteranno pienamente in effetto.

10.3 Questo accordo costituisce l'accordo completo tra voi e Piusi SpA per quanto riguarda questa transazione.

Qualunque variazione a questo accordo deve essere fatta per iscritto, firmata da un rappresentante autorizzato da Piusi SpA.
Doveste avere delle domandi riguardanti questo accordo, o se desiderate contattare Piusi SpA per qualunque motivo,

fatelo scrivendo a:

PIUSI SpA Via Pacinotti, 16/A Rangavino 46029 Suzzara (MN) Italy

Tel. 0039 0376 534561 Fax 0039 0376 536393 Email piusi@piusi.com

# Software license

Read this notice carefully before downloading, installing and using this program. By clicking "continue" you agree to accept the terms of this agreement, which constitutes a legal contract between the licensor (hereinafter "Piusi SpA") and the licensee.

### 1. Definitions

1.1 In this agreement, program refers to the computer program and everything linked to it; printed material, online or

printed documentation and the software that is included in the package.

1.2 The program is protected by international laws and treaties on intellectual property. Ownership and economic exploitation of the program (including copyrights, trademarks, patient rights or any other kind of intellectual property), as well as all copies deriving from these shall remain property of Piusi SpA

2. Terms and conditions of the contract
The program is given out exclusively by means of the user licence to be used in accordance with the terms of this

agreement.

2.1 By installing, copying or using the program in any other way, you agree with the terms and conditions of this

agreement. If you do not agree, you may not use this program and you shall immediately delete any copy of the program in your possession.

3. Rights and obbligations
3.1 The agreement is personal and non-transferable, and it is closely linked to the use of Piusi S.p.A. products. Therefore, this contract may not be transferred.

3.2 Non-observance of the contractual clauses shall result in the cancellation of the contract without any liability for

13.2 You have the right to terminate the present agreement at any time, by ceasing to use the program, with the corresponding obligation of immediately deleting any copy of the program in your possession.

### 4. Other rights and obbligations

4.1 Except for what is expressly mentioned in this Agreement, it is prohibited to copy, reproduce, publish, rent, lease, modify or create works deriving from the Program, including the export thereof, and it is prohibited to remove any identification marks or properties of the Program.

5. Intellectual property rights
5.1 The Program is protected by copyright laws and other laws governing intellectual property, as well as by international treaties

### 6. Limited guarantee

6. Limited guarantee 6.1 The guarantee on the program is provided as it stands, without any other kind of guarantee, whether implicit or explicit. In particular, Piusi SpA does not guarantee that the operations carried out by the program shall be free of errors. 6.2 Piusi SpA does not guarantee the Program in terms of reliability, accuracy, up-to-dateness or anything else. The duration of the guarantee period required by law shall be limited within the terms of the limited guarantee

# 7. Exclusion of liability for related losses

7.1 under no circumstance shall Plus SpA or any other party involved in the creation, manufacture, sale or delivery of the Program be considered responsible for accidental damage or damages that might result from the use thereof, or by your inability to use the Program, including, without limitations, damages for losses of company profit, work interruption, loss of company information, computer problems or any other damage, even if the possibility of such damage has been foreseen.

8. Limitation of liability
8.1 Piusi SpA shall, under no circumstance, be liable for an amount exceeding the price paid by you for the Program.

9. Update policy
9.1 Piusi SpA può di tanto in tanto aggiornare la versione di questo programma e può, a sua opzione, renderequesto aggiornamento disponibile per il vostro uso.

# 10. General terns and conditions

10.1 This agreement shall be governed by Italian law and the place of jurisdiction shall be the Court of Mantova.

10.2 However, should one or more clauses of the present contract be declared invalid by any court having jurisdiction, the non-validity of said clause shall not affect the validity of the other elements of this agreement, which shall remain

10.3 This agreement constitutes the complete agreement between you and Piusi SpA as far as this transaction is concerned

Any variation to this agreement must be made in writing and signed by a representative that has been authorised

Ally Valladori to this second to the second

PILISI SpA. Via Pacinotti. 16/A Rangavino 46029 Suzzara (MN) Italy.

Tel 0039 0376 534561 Fax 0039 0376 536393 Email piusi@piusi.com







**PIUSI S.p.A.** headquarters 46029 Suzzara (Mantova) Italy tel.+39 0376 534561 fax.+39 0376 536393 e-mail: piusi@piusi.com www.piusi.com



PIUSI USA, Inc. 5553 Anglers Ave Suite 104 Fort Lauderdale, FL 33312 tel.: 954 584 1552 fax.: 954 584 1554 Email: piusiusa@piusiusa.com www.piusiusa.com